
BERRY=ALLOC®

LAMINATE



LAMINATE DIMENSIONS

X-tra large, X-tra small or standard different sizes, always beautiful!

BATHROOM AND KITCHEN

Yes, you can install our laminate in all your rooms

ACCESSORIES

All you need for a perfect installation



EDITORIAL

Live beautifully, live easily, live fully...


This is what BerryAlloc laminate offers. Our laminate floors are designed to transform your home and your well-being. Our floors are decorative, trendy, easy to install, require little maintenance, and are above all, under **lifetime warranty**. Their dimensions and colours were designed in partnership with our design team.

Yes, we care about your floor, your home and your future. Use this catalogue and let us be your guide for all your renovation or novelty projects. **9





CON-TENTS



34



5 TRENDS & INSPIRATIONS

For collections that catch the spirit of the times

11 READY TO CHOOSE?

Find inspiration and discover our complete collection

12 IN THE KITCHEN

Cooking & dining with ease

16 IN THE BATHROOM

Splish, splash without worrying

18 OTHER ROOMS

Cosy, warm and homy feel

29 READY TO INSTALL

Extremely easy installation

34 COLLECTION OVERVIEW

Snapshot of the collections

60 ACCESSORIES

Everything you need to install your floor







Source

#warmth #raw nature #primitive

WHICH ARE YOU? **SOURCE**, **GLAM**, **SENSE** OR **BLOOM**?

Discover the BerryAlloc decor inspirations.

Find the styles that drive us, as captured by our design team. Lifestyle or just style, we do not miss a beat when it comes to maximizing your inner joy. Four main trends to fulfil all your desires.





Source Trend

In a world that is changing ever faster and that sometimes takes us by surprise, we feel a need to slow down. We find ourselves hiking in the forest rather than running to the supermarket. Local and authentic values get a place of honor in our heart. If your emotions become your inner compass, our laminate will point the way to the interior design you desire. The Source trend comes in a range of beige, tan, taupe, linen, matching the green shades of nature and the blue of the sky.

Glam Trend

It is official: there is a real fascination for everything that glitters, with gold and copper taking the lead, and this warms the universe of interior design. The Glam trend is a perfect mix of the real and the imaginary, of ancient luxury and modern purity. Here, materials surprise and tell stories! Are you Glam? Our laminate will create a universe which is as reassuring as it is precious!





Sense Trend

Is your world one of gentleness... as if floating between earth and sky? You are Sense. Your quest for happiness requires rediscovery of the spiritual dimension and increased trust of your intuition. If you express yourself through moods which leave a lot of space for dreams, transparency and space, then our laminate floors are for you. The materials and shades are soft, sometimes have patina, and are always natural.

Bloom-trend

Environmental values, green and connected lifestyles, the Bloom trend brings both crafts and the folk spirit back into fashion. An openness to the world, to its cultures while maintaining a level of expectations, Bloom describes collective intelligence and natural curiosity, far from all that is artificial. Soft textures and rough materials carry your preference.




Bloom

#freshness #nomadic #chlorophyl

YOU LEAN TOWARDS

Sense

#softness #evanescence #lightness
A neutral light oak for a very light playful
feeling. Or go for a lovely white floor if
you want an even purer look



WHITE CHOCOLATE OAK



VANILLA OAK

Bloom

#freshness #nomadic #chlorophyl Reconnect with nature through contemporary floors

YOU LEAN TOWARDS

Source

#warmth #raw nature #primitive
Creating an authentic look by using
natural shades. This laminate gets
extremely close to the parquet look
for a warm home feeling



UMBRIA OAK



MANOIR DARK

YOU LEAN TOWARDS

Glam

#pleasure #luxury #rococo
The application of fine materials and finishes
to your floor makes for a glamorous and
luxurious feeling in your home







but taking a few simple precautionary
measures will let you extend
the life of your laminate.
Use a vacuum cleaner with
a soft parquet brush or
use dry, electrostatic
dusting cloths.



For stubborn dirt,

you can use a well wrung mop to clean the laminate floor without any problems.
BerryAlloc laminate floors are incredibly easy to maintain and our specially developed BerryAlloc maintenance products will maintain the lovely quality and appearance of your floor for years.



BerryAlloc laminate floors do not discolour in sunlight

The high-quality finish ensures that you can get years of pleasure from your floor without any discolouration.

Relax, let the sun in and enjoy your house bathed in light.






Furthermore, our floors also contain few volatile organic substances.

This is better for the indoor climate of your home and also for your health.

But we have not stopped there. We produce as little waste as possible and we convert anything left over into energy. We also use solar panels and wind turbines for our energy supply. This means that a BerryAlloc floor is sustainable and friendly to both people and the environment.

The Programme for the Endorsement of Forest Certification (PEFC) is an international non-profit, non-governmental organization dedicated to promoting Sustainable Forest Management (SFM) through independent third-party certification



Do you want to keep things restful? Then Serenity is something for you. Serenity is an extra silent laminate.

By using an advanced acoustic top layer in vinyl, impact noise, in other words the sound that propagates between floors, is considerably reduced.

Furthermore, it is pleasant and soft to walk on a Serenity floor which means that footstep noises are drastically reduced.

Thanks to the HydroPlus® treatment, this floor is also water-resistant and a spilt drink cannot cause any damage.

In addition, Serenity is particularly suited to spaces with a lot of footfall, such as blocks of flats, large houses with big families, schools or restaurants. Of course, it is also suited to anyone who just enjoys peace and quiet.

DISCOVER OUR COMPLETE SERENITY COLLECTION ON PAGE 34

A RIVIERA OR SERENITY FLOOR IS • 100% water-resistant ideal for kitchens and bathrooms IN THE BATHROOM Splish, Splash without worrying RIVIERA CHALET OAK

BERRYALLOC

RIVIERA & SERENITY



Resistant to water and moisture





The BerryAlloc Hydroplus® technology creates a special, water-repellent coating.

It enables you to enjoy your laminate floor without any worries. Had a little accident?

You can easily clean these planks with water without the risk of water penetration or warping.


The Riviera and Serenity collections are resistant to water and moisture.

The extra treatment applied to these planks means that water doesn't stand a chance. So no more worrying about wet or dirty feet! It also means that a spilt drink, a wet dog or a falling fishbowl cannot cause any harm at all.

DISCOVER OUR COMPLETE SERENITY
COLLECTION ON PAGE 34

DISCOVER OUR COMPLETE RIVIERA
COLLECTION ON PAGE 50





SOMETIMES THE SPEED OF SOCIETY TAKES US BY SURPRISE. WE REACT TO THIS BY SEARCHING FOR SLOWNESS, RELAXATION AND SENSUAL EXPERIENCE









new Parquet look

In the Chic & Urban collections you can find planks with the look of a classic parquet floor because they are narrower than our standard planks.

DISCOVER OUR COMPLETE CHIC COLLECTION ON PAGE 44


DO YOU LIKE AN INTERIOR WITH AUTHENTIC ELEMENTS?






Create a warm kind of home

by choosing a BerryAlloc floor with deep grooves and get extremely close to the natural parquet look and furthermore enjoy the ease of maintenance of a laminate floor. Havana Oak, Millenium Natural Oak, Desert Oak, Hazelnut Oak, Winter Oak, Pluto Oak fit perfectly in this picture.





Grooves literally and metaphorically give extra relief to your floor. A floor with grooves has an authentic character and looks most like a traditional plank floor. Furthermore, grooves give rhythm to your space.



DISCOVER OUR COMPLETE LOFT & NATURALS COLLECTION ON PAGE 46

DISCOVER OUR COMPLETE ESSENTIALS COLLECTION ON PAGE 53

Grooves or no grooves?

You can choose laminate planks with or without grooves. But which one suits you best?



Floors without grooves have a more austere appearance.

They give a more continuous look to your floor. This is not only more modern, but it makes your space appear to be larger.





BERRYALLOC ELEGANCE

For an instantly more spacious interior



Long and wide planks from the Elegance collection

in a natural or somewhat darker hue
go perfectly with this style. You
can combine these floors to
your heart's content with genuine
antiques or other accessories
in natural materials.

DISCOVER OUR COMPLETE ELEGANCE COLLECTION ON PAGE 38

Elegance consists of 20 walnut, oak and maple tones.

The planks have a deep, wood-like structure which makes them look like real parquet.







Herring bone pattern is a classic, which allows the flooring to stand out. It adds an elegant and classy touch to the decor to make the room more inviting. The versatility of herringbone floors allows them to be used in all sorts of spaces, decors and in combination with a lot of different styles. You can never go wrong with herringbone flooring.

DISCOVER OUR COMPLETE CHATEAU COLLECTION ON PAGE 56



Extra thick planks with an elegant bevel all around the plank, combining beautiful aesthetics and exceptional technical performance. Outstanding resistance to wear and stains.

DISCOVER OUR COMPLETE EXQUISITE COLLECTION ON PAGE 41

DISCOVER OUR COMPLETE EMPIRE COLLECTION ON PAGE 36

Extra Thick



READY TO INSTALL

Berryalloc floors are **extremely easy to install** thanks to our 2G Best Loc and 5G Best Loc X-treme systems. You do not need a hammer or tapping block to install the floors, so you cannot damage the planks. You can install the planks one at a time using the ingenious locking system that works with a clip. This makes installation a lot quicker, but the planks also remain together properly. The floor is able to withstand the weight of a bookcase or piano.





You can find short videos on our website www.berryalloc.com which explain step-by-step how to install our floors.

BERRY=ALLOC°





WHY CHOOSE BERRYALLOC LAMINATE?

A lifetime warranty

At BerryAlloc, quality is extremely important. That is why we also offer a lifetime warranty for residential use. Our floors have undergone tests for strength, impact of water damage, discolouration, stability and wear and tear. This has resulted in a floor that you can enjoy for many years.

The best locking system

Our Best Loc (2G) and Best Loc X-Treme (5G) systems make installing a floor extremely easy. You do not need any special tools to assemble, repair or disassemble our floors.

PEFC-certified

All our products are PEFC certified. This means that they carry the "Programme for the Endorsement of Forest Certification Schemes" label which guarantees that they come from sustainably managed forests.

Extra long

The Elegance collection is made up of long planks which give a spacious effect.

Wide choice

Everyone can find something to their taste in the BerryAlloc range.

There are different floors to match every mind-set.

100% matching accessories

We provide accessories that perfectly match your floor.

These unite your floor with the skirting and profiles.

Quiet floors


Our Serenity floors are extra silent. Their extra acoustic top layer in vinyl creates calm in your house.

Water and moisture resistant floors

The floors in the Serenity and Riviera ranges are extremely resistant to water and moisture. The extra treatment means that water damage does not stand a chance. So no more worrying about water.

Just like real!

The structure of the laminate gives your floor character. BerryAlloc planks have a deep, wood structure and a matt finish which means that they cannot be distinguished from real parquet.



SERENITY

Class 33 - AC5
















COLUMBIAN OAK 946M Ref: 62000260 Matlook EAN-Code: 5414404150547





COLUMBIAN OAK 261L Ref: 62000259 Matlook EAN-Code: 5414404150530 60 mm skirting 3-in-1 Profile

63000311

63000437



COLUMBIAN OAK 939M Ref: 62000261 Matlook EAN-Code: 5414404150554 60 mm skirting 3-in-1 Profile 63000443 63000317



Ref: 62000263 Matlook EAN-Code: 5414404150578 60 mm skirt 63000323 60 mm skirting 3-in-1 Profile 63000449



TOULON OAK 619L Ref: 62000262 Matlook EAN-Code: 5414404150561



TOULON OAK 293M Ref: 62000264 Matlook EAN-Code: 5414404150585 60 mm skirting 3-in-1 Profile 63000452



TOULON OAK 999D Ref: 62000265 Matlook EAN-Code: 5414404150592 60 mm skirting 3-in-1 Profile 63000454



Ref: 62000270 Matlook EAN-Code: 5414404150646 60 mm skirting 3-in-1 Profile 63000463

1285 L x 204 W x 8 T mm







LIME OAK 139S Ref: 62000266 Matlook EAN-Code: 5414404150608

60 mm skirting 63000329

3-in-1 Profile 63000455



LIME OAK 939S Ref: 62000267 Matlook EAN-Code: 5414404150615

60 mm skirting 63000330

3-in-1 Profile 63000456



LIME OAK 963M Ref: 62000268 Matlook EAN-Code: 5414404150622

60 mm skirting 63000331

3-in-1 Profile 63000457



LIME OAK 693M Ref: 62000269 Matlook EAN-Code: 5414404150639

60 mm skirting 3-in-1 Profile 63000334 63000460



EMPIRE

Class 33 - AC5













FROSTED OAK Ref: 3800-3798 Matlook EAN-Code: 5414404137685



9411-3798



VENICE OAK Ref: 62000185 Matlook WoodStructure+ EAN-Code: 5414404146700







DESERT OAK Ref: 3800-3146 Matlook EAN-Code: 5414404137708



60 mm skirting T-Profile 2,4 m 63000016



MILLENIUM WHITE OAK Ref: 3800-3188 WoodStructure+ Endless EAN-Code: 5414404137715

60 mm skir 9320-3188

60 mm skirting T-Profile 2,4 m 9411-3188



MILLENIUM NATUREL OAK Ref: 3800-3243 WoodStructure+ Endless EAN-Code: 5414404137722

60 mm skirting T-Profile 2,4 m 9320-3243 9411-3243



SAFFRAN OAK Ref: 3800-3244 WoodStructure+ Endless EAN-Code: 5414404137739

60 mm skirting T-Profile 2,4 m 9320-3244 9411-3244 60 mm skirt 9320-3244



ELEGANT LIGHT OAK Ref: 3800-3179 Matlook EAN-Code: 5414404137753

60 mm skirting T-Profile 2,4 m 9320-4471 9411-4471



RAINFOREST OAK Ref: 3800-3182 Matlook EAN-Code: 5414404137746

60 mm skirting T-Profile 2,4 m 63000001 63000006

1288 L x 186 W x 11 T mm





56 boxes = 80,49 m²

Class 23: Bedrooms, living rooms, entrances and kitchens - Class 33: Shopping centers, schools, corridors and open offices



BARN WOOD Ref: 62000115 Matlook EAN-Code: 5414404144072

60 mm skirting T-Profile 2,4 m 63000058 63000198



SCANDINAVIAN PINE Ref: 62000116 Matlook EAN-Code: 5414404144089

60 mm skirting T-Profile 2,4 m 63000047 63000187



NIGHT CHESTNUT Ref: 62000117 Matlook EAN-Code: 5414404144096

60 mm skirting T-Profile 2,4 m 63000057 63000197



SAWCUT OAK Ref: 62000118 Matlook EAN-Code: 5414404144102

60 mm skirting T-Profile 2,4 m 63000045 63000186



ELEGANCE

Class 32 - AC4













HAZELNUT OAK Ref: 62000132 WoodStructure+ EAN-Code: 5414404145765 60 mm skirting T-Profile 2,4 m

9320-3869

63000251



CAPPUCCINO OAK Ref: 62000133 WoodStructure+ EAN-Code: 5414404145772







Ref: 62000134 WoodStructure+ EAN-Code: 5414404145789

60 mm skirting T-Profile 2,4 m 9411-3871 9320-3871



Ref: 62000135 WoodStructure+ EAN-Code: 5414404145796

60 mm skirting T-Profile 2,4 m 60 mm skir 9320-3872

9411-3872



SAVANNAH OAK Ref: 62000136 WoodStructure+ EAN-Code: 5414404145819

60 mm skirting \sim T-Profile 2,4 m 9411-3876



ARCTIC WALNUT Ref: 62000137 WoodStructure+ EAN-Code: 5414404145826

60 mm skirting \sim T-Profile 2,4 m



SAND GREIGE OAK Ref: 62000141 WoodStructure+ EAN-Code: 5414404145802



NATURAL MAPLE Ref: 62000139 WoodStructure+ EAN-Code: 5414404145840

60 mm skirting T-Profile 2,4 m

2033 L x **240** W x **9** T mm







ANTIQUE OAK Ref: 62000129 WoodStructure+ EAN-Code: 5414404145734

60 mm skirting T-Profile 2,4 m 63000019 63000024



POLAR OAK Ref: 62000128 WoodStructure+ EAN-Code: 5414404145727

60 mm skirting T-Profile 2,4 m 63000029 63000259



CLASSIC WALNUT Ref: 62000138 WoodStructure+ EAN-Code: 5414404145833

60 mm skirting T-Profile 2,4 m 9320-3878 63000257



LAVA OAK Ref: 62000119 WoodStructure+ EAN-Code: 5414404144157

60 mm skirting 63000054

T-Profile 2,4 m 63000194



ETNA OAK Ref: 62000120 WoodStructure+ EAN-Code: 5414404144164

60 mm skirting T-Profile 2,4 m 63000056 63000196



KATLA OAK Ref: 62000121 WoodStructure+ EAN-Code: 5414404144171

60 mm skirting T-Profile 2,4 m 63000055 63000195



PECAN OAK Ref: 62000122 WoodStructure+ EAN-Code: 5414404144188

60 mm skirting T-Profile 2,4 m 63000067 63000207



ALMOND OAK Ref: 62000123 WoodStructure+ EAN-Code: 5414404144195

60 mm skirting T-Profile 2,4 m 63000066

ELEGANCE

Class 32 - AC4













TULIP OAK Ref: 62000127 Matlook EAN-Code: 5414404144232



FROSTED OAK Ref: 62000124 Matlook EAN-Code: 5414404144201

60 mm skirting T-Profile 2,4 m 9320-3798 9411-3798




WINTER OAK Ref: 62000125 Matlook EAN-Code: 5414404144218

60 mm skirting T-Profile 2,4 m 9320-3740 63000260



SILVER GREY OAK Ref: 62000126 Matlook EAN-Code: 5414404144225

60 mm skirting T-Profile 2,4 m 9320-3754 9411-3754



2033 L x **240** W x **9** T mm

5 boards = 2,44 m²

54 boxes = 131,74 m²

EXQUISITE

Class 32 - AC4











FROSTED OAK Ref: 3070-3798 Matlook EAN-Code: 5414404089953

60 mm skirting T-Profile 2,4 m 9320-3798 9411-3798



Ref: 3070-3784 WoodStructure EAN-Code: 5414404089960

60 mm skirting T-Profile 2,4 m 9411-3784 9320-3784



VENICE OAK Ref: 62000090 Matlook WoodStructure+ EAN-Code: 5414404144249

60 mm skirting T-Profile 2,4 m 9320-3488 9411-3488



HONEY OAK Ref: 3070-3013 WoodStructure+ EAN-Code: 5414404089984

60 mm skir 9320-3013 60 mm skirting T-Profile 2,4 m

63000266



GINGER OAK Ref: 62000093 Matlook WoodStructure+ EAN-Code: 5414404145239

60 mm skirting T-Profile 2,4 m 9320-3863 9411-3863



Ref: 3070-3861 WoodStructure+ EAN-Code: 5414404090010

COGNAC BROWN OAK 60 mm skirting T-Profile 2,4 m



HAVANA OAK Ref: 62000092 Matlook WoodStructure+ EAN-Code: 5414404145222

60 mm skirting T-Profile 2,4 m



SPLINT WALNUT Ref: 3070-3147 WoodStructure EAN-Code: 5414404131447

60 mm skirt 63000466

60 mm skirting T-Profile 2,4 m

1285 L x 186 W x 9 T mm



56 boxes = 93,69 m²

EXQUISITE

Class 32 - AC4











MERBAU Ref: 3070-3148 WoodStructure EAN-Code: 5414404131751

60 mm skirting T-Profile 2,4 m 9320-2503

9411-2503



VICTORIAN OAK Ref: 3070-3914 Matlook WoodStructure+ EAN-Code: 5414404140203

9320-3914

60 mm skirting T-Profile 2,4 m 63000268



GREY VINTAGE OAK Ref: 3070-4691 WoodStructure EAN-Code: 5414404131744

9320-4691

60 mm skirting T-Profile 2,4 m 9411-4691



SPRING ELM Ref:3070-3893 Matlook EAN-Code: 5414404140180

60 mm skirt 9320-3893 60 mm skirting T-Profile 2,4 m

9411-3893



JAKARTA Ref: 3070-3698 Matlook EAN-Code: 5414404140197

60 mm skirting T-Profile 2,4 m 9320-3698 9411-3698



UMBRIA OAK Ref: 3070-3913 Matlook WoodStructure+ Endless EAN-Code: 5414404140210

60 mm skirting T-Profile 2,4 m



MARTINIQUE OAK Ref: 3070-3912 Matlook WoodStructure+ Endless EAN-Code: 5414404140227

60 mm skirting T-Profile 2,4 m



WHITE CHOCOLATE OAK Ref: 3070-3866 WoodStructure+ EAN-Code: 5414404140234

60 mm skirting T-Profile 2,4 m

1285 L x 186 W x 9 T mm





Class 23: Bedrooms, living rooms, entrances and kitchens - Class 32: Classrooms, offices, hotels and shops



LIMED OAK Ref: 3070-3589 Matlook

EAN-Code: 5414404140265

60 mm skirting T-Profile 2,4 m 63000269



MEDITERENEAN PINE Ref: 3070-3732 Matlook EAN-Code: 5414404140241

60 mm skirting T-Profile 2,4 m 9320-3732 63000270



SANDHILL Ref: 3070-3806 Matlook EAN-Code: 5414404140258

60 mm skirting T-Profile 2,4 m 63000262



TULIP OAK Ref: 62000091 Matlook EAN-Code: 5414404144256

60 mm skirting T-Profile 2,4 m 63000053 63000193



CHIC & URBAN

Chic decors with 4 bevels Urban decors without bevels







Chic



Urban



Class 32 - AC4



ATLANTIC OAK Ref Chic: 62000203 Ref Urban: 62000193 Matlook

EAN-Code Chic: 5414404144713 EAN-Code Urban: 5414404144836

60 mm skirting T-Profile 2,4 m 9320-3728

63000274



PORTUGAL OAK Ref Chic: 62000206 Ref Urban: 62000196 Matlook

EAN-Code Chic: 5414404144744 EAN-Code Urban: 5414404144867

9320-3145

60 mm skirting T-Profile 2,4 m 63000275



WINTER OAK Ref Chic: 62000209 Ref Urban: 62000199 Matlook

EAN-Code Chic: 5414404144775 EAN-Code Urban: 5414404144898

60 mm skirting T-Profile 2,4 m 9320-3740

Matlook EAN-Code Chic: 5414404144706 EAN-Code Urban: 5414404144829

63000260

63000070

WHITE CHESTNUT

Ref Chic: 62000192

Ref Urban: 62000191

60 mm skirting T-Profile 2,4 m 63000210



Ref Chic: 62000204 Ref Urban: 62000194 WoodStructure+

EAN-Code Chic: 5414404144720 EAN-Code Urban: 5414404144843

60 mm skirting T-Profile 2,4 m 63000061

63000201



CRETE OAK

Ref Chic: 62000205 Ref Urban: 62000195 WoodStructure+

EAN-Code Chic: 5414404144737 EAN-Code Urban: 5414404144850

60 mm skirting T-Profile 2,4 m 63000065 63000205



ALGARVE OAK

Ref Chic: 62000207 Ref Urban: 62000197 WoodStructure+

EAN-Code Chic: 5414404144751 EAN-Code Urban: 5414404144874

63000059

60 mm skirting T-Profile 2,4 m 63000199



LEMON OAK

Ref Chic: 62000208 Ref Urban: 62000198

Matlook

FAN-Code Chic: 5414404144768 EAN-Code Urban: 5414404144881

60 mm skirt 63000040

60 mm skirting T-Profile 2,4 m 63000182

1288 L x 152,4 W x 8 T mm





60 boxes = 106 m²

Class 23: Bedrooms, living rooms, entrances and kitchens - Class 32: Classrooms, offices, hotels and shops



TULIP OAK Ref Chic: 62000210 Ref Urban: 62000200 Matlook

EAN-Code Chic: 5414404144782 EAN-Code Urban: 5414404144904

----- 5414404144904 60 mm skirting T-Profile 2,4 m 63000053 6300010²



CINNAMON OAK

Ref Chic: 62000212 Ref Urban: 62000202

Matlook

EAN-Code Chic: 5414404144805 EAN-Code Urban: 5414404144928

60 mm skirting T-Profile 2,4 m 63000042 63000194



VANILLA OAK

Ref Chic: 62000211 Ref Urban: 62000201

Matlook

EAN-Code Chic: 5414404144799 EAN-Code Urban: 5414404144911

60 mm skirting T-Profile 2,4 m 63000041 63000183



GRANADA OAK

Ref Chic: 62000213 Ref Urban: 62000214

WoodStructure+ EAN-Code Chic: 5414404144812 EAN-Code Urban: 5414404144935

60 mm skirting T-Profile 2,4 m 60 mm skirt 63000062 63000202



NATURALS & LOFT Naturals decors with 2 bevels Loft decors without bevels







Loft



Class 32 - AC4 Naturals



FROSTED OAK Ref Naturals: 3050-3798 Ref Loft: 62000149 Matlook

EAN-Code Naturals: 5414404098689 EAN-Code Loft: 5414404144348

60 mm skirting T-Profile 2,4 m 9320-3798

9411-3798



Ref Naturals: 3050-3806 Ref Loft: 62000152 Matlook EAN-Code Naturals: 5414404098719

EAN-Code Loft: 5414404144379

60 mm skirting T-Profile 2,4 m 9320-3806 63000262



SILVER GREY OAK Ref Naturals: 3050-3754 Ref Loft: 62000146 Matlook

EAN-Code Naturals: 5414404098726 EAN-Code Loft: 5414404144317

60 mm skirting T-Profile 2,4 m 9320-3754 9411-3754



RUSTIC LIGHT OAK Ref Naturals: 3050-3823 Ref Loft: 3030-3823 Matlook

EAN-Code Naturals: 5414404098764 EAN-Code Loft: 5414404098337

60 mm skirting T-Profile 2,4 m 9320-3823 9411-3823



MARTINIQUE OAK

Ref Naturals: 3050-3912 Ref Loft: 3030-3912 Matlook Woodstructure+ Endless

EAN-Code Loft: 5414404098511 60 mm skirting T-Profile 2,4 m 9320-3912 63000263

1288 L x 186 W x 8 T mm

EAN-Code Naturals: 5414404098771

BORDEAUX OAK Ref Naturals: 3050-3911 Ref Loft: 62000153 **Endless Woodstructure+** EAN-Code Naturals: 5414404098788 EAN-Code Loft: 5414404144386

60 mm skirting T-Profile 2,4 m 9320-3911 63000264



VENICE OAK Ref Naturals: 62000174

Ref Loft: 62000145 Matlook Woodstructure+ EAN-Code Naturals: 5414404144577 EAN-Code Loft: 5414404144300

60 mm skirting T-Profile 2,4 m 9320-3488 9411-3488




VALLEY OAK Ref Naturals: 3050-3637

Ref Loft: 3030-3637 Matlook Woodstructure+ EAN-Code Naturals: 5414404098849 EAN-Code Loft: 5414404098306

9320-3637

60 mm skirting T-Profile 2,4 m





56 boxes = 107,33 m²



WHITE OAK
Ref Naturals: 3050-3010
Ref Loft: 62000151
Matlook Woodstructure+
EAN-Code Naturals: 5414404098863
EAN-Code Loft: 5414404144362

1000 m skirting T-Profile 2,4 m

9411-3010

9320-3010





9411-3636

9320-3636



JAKARTA

Ref Naturals: 62000179

Ref Loft: 3030-3698

Matlook

EAN-Code Naturals: 5414404144645

EAN-Code Loft: 5414404098252

60 mm skirting T-Profile 2,4 m

9411-3698

9320-3698



MILLENIUM WHITE OAK
Ref Naturals: 62000027
Ref Loft: 62000147
Woodstructure+ Endless
EAN-Code Naturals: 5414404143631
EAN-Code Loft: 5414404144324

9320-3188

60 mm skirting T-Profile 2,4 m

9411-3188



HAVANA OAK

Ref Naturals: 62000180

Ref Loft: 62000156

Matlook Woodstructure+

EAN-Code Naturals: 5414404144652

EAN-Code Loft: 5414404145215

O mm skirting T-Profile 2,4 m

63000265

9320-3628



MILLENIUM NATUREL OAK
Ref Naturals: 62000028
Ref Loft: 62000148
Woodstructure+ Endless
EAN-Code Naturals: 5414404143648
EAN-Code Loft: 5414404144331

60 mm skirting T-Profile 2,4 m 9411-3243



ELEGANT LIGHT OAK
Ref Naturals: 62000183
Ref Loft: 62000144

Matlook
EAN-Code Naturals: 5414404144683
EAN-Code Loft: 5414404144294

\$\int 60 \text{ mm skirting} \text{ T-Profile 2,4 m 9411-4471}

NATURALS & LOFT Naturals decors with 2 bevels Loft decors without bevels





Naturals



Loft



Class 32 - AC4



MANSION OAK Ref Naturals: 62000175 Ref Loft: 62000150 Matlook

EAN-Code Naturals: 5414404144607 EAN-Code Loft: 5414404144355

63000050





CANADIAN PINE

Ref Naturals: 62000176 Ref Loft: 62000142 Matlook

EAN-Code Naturals: 5414404144614 EAN-Code Loft: 5414404144270

63000048

60 mm skirting T-Profile 2,4 m 63000188



CALABRIA OAK

Ref Naturals: 62000177 Ref Loft: 62000157

Woodstructure+

EAN-Code Naturals: 5414404144621 EAN-Code Loft: 5414404144263

63000064

60 mm skirting T-Profile 2,4 m 63000204



JASMINE OAK

Ref Naturals: 62000181 Ref Loft: 62000143 Matlook

EAN-Code Naturals: 5414404144669 EAN-Code Loft: 5414404144287

60 mm skirting 63000043

T-Profile 2,4 m 63000185



CABIN OAK

Ref Naturals: 62000182 Ref Loft: 62000154

Matlook EAN-Code Naturals: 5414404144676

EAN-Code Loft: 5414404144393

60 mm skirting 63000051

T-Profile 2,4 m 63000191



CHALET OAK

Ref Naturals: 62000184 Ref Loft: 62000155

Matlook EAN-Code Naturals: 5414404144690

EAN-Code Loft: 5414404144409

60 mm skirting 63000049

T-Profile 2,4 m 63000189



56 boxes = 107,33 m²







Class 23: Bedrooms, living rooms, entrances and kitchens - Class 32: Classrooms, offices, hotels and shops

LOFT STRIPS

Class 32 - AC4









NAPOLI Ref: 3030-3737 Matlook EAN-Code: 5414404098214

9411-3737



OAK 3 STR Ref: 3030-2915

EAN-Code: 5414404098221

T-Profile 2,4 m

9411-2915

60 mm skirting 9320-2915



WENGÉ Ref: 3030-3519 Woodstructure EAN-Code: 5414404098245

60 mm skirting 60 mm skir 9320-3519

T-Profile 2,4 m 63000272



MERBAU 3 STR Ref: 3030-2503

EAN-Code: 5414404098269

60 mm skirti 9320-2503 60 mm skirting T-Profile 2,4 m 9411-2503



MANOIR LIGHT Ref: 3030-3822 Matlook

EAN-Code: 5414404098276

60 mm skirting ~ 60 mm skirt 9320-3822 T-Profile 2,4 m 9411-3822




BEECH 3 STR Ref: 3030-2914

EAN-Code: 5414404098290

60 mm skirting 9320-2914

T-Profile 2,4 m 9411-2914



MANOIR DARK Ref: 3030-3002 Matlook EAN-Code: 5414404098344

60 mm skirting 9320-3002

T-Profile 2,4 m 63000273



VIENNA BEECH Ref: 3030-3909 Matlook EAN-Code: 5414404098474

60 mm skirting 9320-3909

 \neg T-Profile 2,4 m 9411-3909



AUTHENTIC OAK 2 STR Ref: 3030-3896 Matlook EAN-Code: 5414404098498

60 mm skirting 9320-3896 T-Profile T-Profile 2,4 m 9411-3896



ROMA Ref: 3030-3865 Matlook EAN-Code: 5414404098443

T-Profile 2,4 m 9411-3865





8 boards = 1,92 m²



56 boxes = 107,33 m²

RIVIERA

Class 32 - AC4











WHITE OAK
Ref: 3040-3010
Matlook
EAN-Code: 5414404079718

60 mm skirting T-Profile 2,4 m

9320-3010

9411-3010



SILVER GREY OAK

Ref: 3040-3754

MatLook WoodStructure+

EAN-Code: 5414404079749

\$\int_{60 \text{ mm skirting}}^{60 \text{ mm skirting}} \tag{T-Profile 2,4 m}

9320-3754

\$\int_{9411-3754}^{60 \text{ mm skirting}} \tag{9411-3754}



TEAKRef: 3040-3636

EAN-Code: 5414404079756

60 mm skirting T-Profile 2,4 m 9411-3636



VENICE OAK

Ref: 62000158

Matlook WoodStructure+

EAN-Code: 5414404144416

O mm skirting T-Profile 2,4 m
9411-3488



MILLENIUM WHITE OAK

Ref: 3040-3188

WoodStructure+ Endless

EAN-Code: 5414404137944

\$\int 60 \text{ mm skirting} \tag{T-Profile 2,4 m 9411-3188}



MILLENIUM NATUREL OAK
Ref: 62000159
WoodStructure+ Endless
EAN-Code: 5414404144423

60 mm skirting 7-Profile 2.4 m
9411-3243



FROSTED OAK
Ref: 62000160
Matlook
EAN-Code: 5414404144430

60 mm skirting T-Profile 2,4 m
9320-3798 9411-3798




Matlook
EAN-Code: 5414404144447

60 mm skirting
T-Profile 2,4 m
63000190

Ref: 62000162









CANADIAN PINE Ref: 62000161 Matlook EAN-Code: 5414404144454





Ref: 62000170 Matlook EAN-Code: 5414404144539





VENUS OAK Ref: 62000171 Matlook EAN-Code: 5414404144546







Ref:3040-3830 Matlook EAN-Code: 5414404079862

60 mm skirting T-Profile 2,4 m 63000261



CHAMPAIGN OAK Ref: 62000164 MatLook WoodStructure+ Endless EAN-Code: 5414404144478

60 mm skirting T-Profile 2,4 m 9320-3910 9411-3910



UMBRIA OAK Ref: 62000165 MatLook WoodStructure+ Endless EAN-Code: 5414404144485

60 mm skirting T-Profile 2,4 m 9320-3913 9411-3913



ROMA Ref: 62000163 Matlook EAN-Code: 5414404144461

60 mm skirting T-Profile 2,4 m 9320-3865 9411-3865



WHITE OAK SELECT Ref: 62000172 Matlook EAN-Code: 5414404144553

60 mm skirting T-Profile 2,4 m 9320-3784 9411-3784

RIVIERA

Class 32 - AC4











SCANDINAVIAN PINE Ref: 62000166 Matlook EAN-Code: 5414404144492



PROVENCE OAK Ref: 62000167 WoodStructure+ EAN-Code: 5414404144508







FLANDERS OAK Ref: 62000168 WoodStructure+ EAN-Code: 5414404144515





Ref: 62000169 Matlook EAN-Code: 5414404144522 60 mm skirting T-Profile 2,4 m 63000071 63000211



1285 L x 186 W x 8 T mm

8 boards = 1,91 m²

56 boxes = 107,08 m²

Class 23: Bedrooms, living rooms, entrances and kitchens - Class 32: Classrooms, offices, hotels and shops

ESSENTIALS

Class 32 - AC4









WHITE OAK Ref: 62000042 Matlook EAN-Code: 5414404143952





MILANO Ref: 3010-3738 Matlook EAN-Code: 5414404053855





FROSTED OAK Ref: 3010-3798 Matlook EAN-Code: 5414404078957 60 mm skirting T-Profile 2,4 m 9320-3798 9411-3798



Ref: 3010-3895 Matlook EAN-Code: 5414404098092 60 mm skirti 9320-3895 60 mm skirting T-Profile 2,4 m 9411-3895



BANANA LIGHT Ref: 3010-3884 Matlook EAN-Code: 5414404098108

60 mm skirting T-Profile 2,4 m 9320-3884 63000277



ROMA Ref:3010-3865 Matlook EAN-Code: 5414404091260

60 mm skirting T-Profile 2,4 m 9320-3865 9411-3865




SPRING ELM Ref: 3010-3893 Matlook EAN-Code: 5414404098139 60 mm skirting T-Profile 2,4 m 9320-3893 9411-3893



Ref: 62000043 Matlook EAN-Code: 5414404143969 60 mm skirting T-Profile 2,4 m 9320-3146 63000016

1285 L x 186 W x 7 T mm





ESSENTIALS

Class 32 - AC4









LIGHT OAK Ref: 62000044 Matlook EAN-Code: 5414404143983

9320-3012



Ref: 62000045 Matlook





PEARL GREY OAK Ref: 62000046 Matlook EAN-Code: 5414404144003





Ref: 62000048 Matlook 60 mm skirting T-Profile 2,4 m 9320-3857 63000291 EAN-Code: 5414404144010



60 mm skirting T-Profile 2,4 m

9411-3012

ELEGANT LIGHT OAK Ref: 62000047 Matlook EAN-Code: 5414404144027

60 mm skirting T-Profile 2,4 m 9320-4471 9411-4471



LODGE OAK Ref: 62000052 Matlook EAN-Code: 5414404143976

63000052 T-Profile 2,4 m 630000192



VENUS OAK Ref: 62000053 Matlook EAN-Code: 5414404144034 60 mm skirting T-Profile 2,4 m 63000072 63000212



Ref: 62000054 Matlook EAN-Code: 5414404144041 60 mm skirting T-Profile 2,4 m 63000049 63000189

1285 L x 186 W x 7 T mm



56 boxes = 120,46 m²



NORMANDY OAK

Ref: 62000055

Matlook

EAN-Code: 5414404144058

60 mm skirting T-Profile 2,4 m 63000069 63000209



BRITTANY OAK Ref: 62000056 Matlook

EAN-Code: 5414404144065

60 mm skirting T-Profile 2,4 m 63000208



CHATEAU

Class 32 - AC4













WHITE CHESTNUT Ref A: 62000584 Ref B: 62000589 Matlook EAN CODE A: 5414404175045

EAN CODE B: 5414404175120

60 mm skirting T-Profile 2,4 m 63000070

63000210




WALES OAK Ref A: 62000586 Ref B: 62000591 Woodstructure+ EAN CODE A: 5414404175069 EAN CODE B: 5414404175144



63000201







VENICE OAK Ref A: 62000583 Ref B: 62000587 **Matlook Woodstructure+**EAN CODE A: 5414404175038
EAN CODE B: 5414404175113

60 mm skirting T-Profile 2,4 m 9320-3488

9411-3488



HONEY OAK Ref A: 62000333 Ref B: 62000331 Woodstructure+ EAN CODE A: 5414404155542 EAN CODE B: 5414404155573

60 mm skirting T-Profile 2,4 m 60 mm skii 9320-3013 63000266



Ref A: 62000285 Ref B: 62000330 Woodstructure EAN CODE A: 5414404155511 EAN CODE B: 5414404155566 60 mm skirting T-Profile 2,4 m 9320-3636 9411-3636



PEARL GREY OAK Ref A: 62000467 Ref B: 62000468 Matlook FAN CODE A: 5414404167170 EAN CODE B: 5414404167187 60 mm skirting T-Profile 2,4 m



MERBAU Ref A: 62000329 Ref B: 62000332 Woodstructure EAN CODE A: 5414404155559 EAN CODE B: 5414404155580 60 mm skirting T-Profile 2,4 m 60 mm skirti 9320-2503

9411-2503

504 L x **84** W x **8** T mm





9320-3856

48 boxes = 48,77 m²

63000280

GUIDE TO COLLECTIONS

BERRYALLOC LAMINATE


SERENITY	EMPIRE	ELEGANCE	EXQUISITE	СНІС	URBAN
HYDROPLUS		240			
204 1285	186	2033	186	152	152 128 8
₹ 8	乙 11	<u></u> 9	a	₹ 8	₹ 8
Class 33	Class 33	Class 32	Class 32	Class 32	Class 32
2G Best Loc	5G Best Loc X-treme	5G Best Loc X-treme	2G Best Loc	5G Best Loc X-treme	5G Best Loc X-treme
4 bevels	4 bevels	4 bevels	4 bevels	4 bevels	0 bevels
12 refs	12 refs	20 refs	20 refs	12 refs	12 refs

NATURALS	LOFT	RIVIERA	ESSENTIALS	CHATEAU
		HYDROPLUS		
186	186	186	1285	84 504
₹ 8	₹ 8	₹ 8	7	8
Class 32	Class 32	Class 32	Class 32	Class 32
5G Best Loc X-treme	5G Best Loc X-treme	2G Best Loc	2G Best Loc	5G Best Loc X-treme
2 bevels	0 bevels	0 bevels	0 bevels	4 bevels
22 refs 32 refs		20 refs	18 refs	8 refs

MADE IN BELGIUM

BERRYALLOC WOOD OVERVIEW







BERRYALLOC ACCESSORIES

A wide range of accessories, easy to install.

SKIRTINGS

Because the correct, meticulously chosen finish makes all the difference in the world. Because we are not satisfied with a half-finished job. That is why BerryAlloc has a comprehensive range of skirtings that is ready for you to use.



60 mm Skirting

This is the ideal solution for a stylish wall finish. $2400 \times 14 \times 60 \text{ mm (L x W x H)}$

80 mm Skirting

Elegant high skirting with a modern look. 2400 x 12 x 80 mm (L x W x H)



Scotia

A small skirting for a nice finish. Can also be installed against existing skirtings. 2400 x 16 x 16 mm (L x W x H)



Clips for skirtings

- install your skirtings quickly and effortlessly
- the ideal solution to easily remove skirtings for remodeling projects without damaging the wall

Ref: 9310-0017



Rounded skirting

Rounded skirtings give a subtle finish and a smooth crossover between floor and wall. 2400 x 14 x 14 mm (L x W x H)

WHITE SKIRTINGS

Neat and tidy finish

Pick from our range of white skirtings for a stylish finishing touch. Choose from various designs, modern or classical, ready-for-use in white or paintable in the colour that best matches the colour of your walls.



60 mm skirting

2400 x 14 x 60 mm (L x W x H)

Ref: 9320-3045



80 mm skirting

2400 x 12 x 80 mm (L x W x H)

Ref: 9330-3045



Modern skirting

2400 x 14 x 100 mm (L x W x H)

Ref: 9372-3045



English skirting (110mm)

2400 x 14 x 110 mm (L x W x H)

Ref: 9370-3045

BERRYALLOC PROFILES

Profiles made of melamine-faced MDF allow for the perfect crossover between two floors, whether they are the same type or not. Ideal for concealing height differences or for bridging expansion gaps. Important note: these profiles are as durable and long-lasting as our floors (wear and tear class AC4).

(Keep in mind that accessories which do not carry the BerryAlloc hallmark may be in a lower class and so wear out more quickly.)





Reducer profile

Do you have a height difference between two floors? This profile ensures a seamless connection to a lower lying floor (tiles, carpet, etc.)

Available in MDF and silver coloured aluminium.

MDF 1000 x 40,5 x 12,3 mm (L x W x T) ALU 1000/2000 x 46 x 11,7 mm (L x W x T)





T-Profile

This T profile allows you to seamlessly connect two level laminate floors and hide an expansion gap. Available in MDF and silver coloured aluminium.

MDF 1000/2400 x 44 x 11,1 mm (L x W x H) ALU 1000/2000 x 46 x 11,7 mm (L x W x H)





End Profile

For perfect finishing of the edge of your floor and joints with a sliding window or door sill.

Available in MDF and silver coloured aluminium.

MDF 2400 x 30,3 x 12,3 mm (L x W x H) ALU 2000 x 20 x 8,65/18 mm (L x W x H) Adjustable in height (for floors ranging from 7 to 16,5 mm).

BERRYALLOC UNDERLAYS

BerryAlloc has an underlay for all surfaces.

BerryAlloc offers you numerous underlays which allow you to perfectly prepare the installation of your new laminate floor.



Excellence+ underlay, extra heavy for extra sound insulation

- corrects irregularities in the floor
- includes an adhesive strip
- protection against the build up of humidity and moisture
- \bullet great noise insulation (-21 dB), both in the room and in rooms below
- available in 10 m² rolls

Ref: SEPLUS10



Excellence Endurance underlay

- permanent extra high load-bearing resistance to heavy weights
- integrated adhesive strip
- corrects irregularities in the floor
- protection against the build-up of humidity and vapour
- sound insulation (-19 dB)
- available in 20 m2 rolls

Ref: 9300-0006

BERRYALLOC HYDROPLUS® ACCESSORIES

Perfect HydroPlus® laminate finishing in 4 steps.

We strongly advise to install the Serenity and Riviera floors with this HydroPlus® kit.



Filler Twine

Joint sealing strip for filling expansion joints. For use both between the wall and floor and under door frames or around pipes. This means that you have to use less sealant.

Ref: 63000771



HydroPlus® Glue

Super strong, water-resistant installation glue. Lets you finish the job simply and accurately.

Ref: HPGLUE



HvdroPlus® Sealant

The blue, elastic sealing kit is applied in the expansion joints between the floor and the wall. It prevents the edges of your floor from coming into contact with humidity.

Ref: HPSILICONE



HydroPlus® Protection strip for skirting

The strip fixes to the underside of your skirting. Using this strip not only matches your HydroPlus® floor to skirting in the same style, but also protects it from moisture.

Ref: HPSTRIP



HydroPlus® Installation set

'4 in 1': HydroPlus® Filler Twine, Sealant, Protection Strip and Glue.

Ref: HPSET



LAMINATE CLEANER

The perfect maintenance for your laminate floor.



This antibacterial laminate cleaner is suitable for both first-time maintenance and regular use. Rinsing is not necessary.

Ref: LC1000

BerryAlloc has the right flooring for all domestic and public spaces. In addition to natural wood floor, BerryAlloc also offers a complete range of laminates and vinyl flooring, and a wide choice of wall coverings. Discover the full BerryAlloc range at: www.berryalloc.com





LAMINATE = PARQUET = WALLS = VINYL PLANKS

BIG FLOORCOVERINGS NV RIJKSWEG 442 8710 WIELSBEKE, BELGIUM Tel. +32 (0)56 67 66 11 info@berryalloc.com











BERRY=ALLOC®

HIGH PRESSURE LAMINATE



MADE IN **NORWAY**

Scandi-inspired quality **p.6**

ORIGINAL COLLECTION

An extended range of 53 contemporary designs **p.16**

STONE & GRAND AVENUE

Trends and technology come together **p.38** and **46**



EDITORIAL

The feeling of space is defined not only by volume, but above all by the floor and the material that covers it. With BerryAlloc high pressure laminates, **aesthetics** combined with **high technology** have come of age.

The design of these **very durable floor coverings** breathes harmony and elegance. Their primary asset? They are the toughest on the market, **winning prestigious contracts** such as those for Heathrow Airport, or the Milan 2015 Universal Exhibition. In high traffic, crowded environments, they have to keep their immaculate good looks for a long time.

BerryAlloc high pressure laminates are popular with architects who find they also work perfectly for private homes. The world of home décor has embraced them with enthusiasm. So turn the pages to see what they can do for you.




16 ORIGINAL





GRAND AVENUE 46



CON **T**ENTS

- 6 MADE IN NORWAY
 - Scandi-inspired quality
- 8 MEET JOHN VONLI

Explore BerryAlloc solutions

10 THE HIGH PRESSURE TECHNOLOGY

A peerless floor covering

16 ORIGINAL COLLECTION

An extended range of 53 designs

38 STONE COLLECTION

Mineral collection with a warm touch

46 GRAND AVENUE COLLECTION

On-trend collection for the high life

54 GUIDE TO COLLECTIONS

Snapshot of the collections

56 ACCESSORIES

A wide range easy to install

BERRY=ALLOC°

4



THE TOUGHEST HIGH PRESSURE LAMINATE IN THE WORLD



Berry Alloc has been producing high-quality flooring since 1992. In 1996 we revolutionised the floor industry with the first glue-free locking system in the world. Our floors are inspired by Scandinavian nature, design and lifestyle. We place great emphasis on the floor's overall appearance and the combination of design and surface. Alloc floors are renowned for their wonderful surfaces. Choose an OiledTouch to create a soft, inviting feeling or a deep WoodStructure for a vibrant surface, or how about AntiqueStructure, inspired by traditional wooden floors? Alloc floors are beautiful to behold, but the secret to our unique quality lies deep within: Aluminium locking system – the world's strongest locking system – that ensures a perfect installation every time. With a sound-absorbent underlay attached to the back of the floorboards and the AquaResist HDF core that prevents the floor from absorbing moisture.



BERRY=ALLOC°

INTERVIEW

QUESTIONS FOR JOHN VONLI, GENERAL MANAGER OF BERRYALLOC NORWAY




You are GM of BerryAlloc Norway, a with zero-use of tropical timber. We company with a history of change. Tell us about the highlights of the company's development. I think the turning point was in the 1980s, when floor coverings really became popular. The Alloc systems are also rich in eco-friendly floor was created in 1992, and in 1994 we began our environmental protection programme. This was a really new initi- Let's talk about your aluminium loc ative, because at that time, no-one was really bothered about environmental impact. In 2000, the company was bought by the Belgian Beaulieu group, and in 2004, we gained our environmental certificate and went global.

for the environment, innovation and perfecting the product, all three combined. So, we were the first to manufacture floor and wall coverings with of 1200 kg per linear metre which is non-toxic glues or gas-releasing chemicals. We have a strict charter for wood, systems.

have also improved our production processes with the use of Norwegian hydro-electric power. In terms of our skills and know-how, our patented

system. Alloc introduced the world's strongest click system in 1996. 20 years later this aluminium lock system is still the most revolutionary and strongest click system for laminate floors.

Heavy weights and very intensive use are no problem. Furthermore, these What is in the company's DNA? Respect floors can be installed without expansion profiles over an area of 225 m² or across a maximum length of 15 metres. The AluminiumLOC has a tensile strength much greater than other standard lock









ALUMINIUM LOCKING SYSTEM


ULTRA-TOUGH

The aluminium locking system, in durable aluminium, provides a solid, sealed floor surface that copes easily with heavy traffic, and can tolerate loads of up to 1200 kg per linear metre, making this high pressure laminate flooring the strongest on the market.

The unique combination of the **aluminium click system** and the **high-pressure surface** makes our floors suitable for use in **public areas**, offices, hotels, restaurants and highend residential projects.

Technology available for the **Original** collection

HI-TECH









HIGH PRESSURE



Maximum strength

Unequalled in their solid strength, BerryAlloc laminate floors tolerate high traffic, impacts of various kinds and heavy loads.

Strong Lock

Our floors can be installed without expansion profiles over an area of $225 \, \text{m}^2$ or across a maximum length of $15 \, \text{metres}$.

Revolutionary locking system

This patented, efficient click-lock system is easy to install and secure.

Noise reduction process

The Silent System, an acoustic underlay incorporated into our BerryAlloc laminates, cuts noise by more than 19 decibels.

Aquaresist

Aquaresist technology keeps moisture absorption to a strict minimum.


Anti-static performance

Ensures a pleasant, interference-free environment for all electrical and electronic equipment.

100% sustainable development

Raw materials, manufacturing and production processes chosen to respect the environment.







BERRY = ALLOC°

12

HIGH PRESSURE

LAMINATE

Lifetime warranty

BerryAlloc high pressure laminate carries a lifetime warranty for residential premises, and 10-year warranty for commercial premises. Ideal for all commercial, business and residential uses.

Top quality products

The solid, durable surface layers are separately compressed and glued onto the core of the sheet. This process gives a sheet that is significantly stronger than traditional laminate, and a durable, wear-resistant floor surface. With this kind of surface, these class 34/AC6 floors are extremely resistant to scratching and staining.

A wide selection of designs

Original or Grand Avenue: 2 formats (normal and XXL) and 63 decors. Stone: 6 designs, 2 tile sizes

Accessories suitable for all surfaces

For every type of floor, we offer accessories to suit your choice perfectly, so that your skirtings and edges are perfectly matched.

























BERRY=ALLOC°



A wide collection of 53 designs to suit all styles ORIGINAL WHITE PINE







ANTI STATIC & PRO CONFORT

The air is charged with electricity. This is not just a figure of speech. Happily, BerryAlloc anti-static floors deal with the problem by instantly absorbing the static charge preventing any interference. In this day and age, with electronic equipment everywhere, this is an essential feature. Another plus point of our floor coverings is that they repel dust and dirt. A valuable, stay-clean feature, for home or in the office.





ALL WELCOME EVEN IMPACTS STAINS AND SCRATCHES

In this cheerful boutique-café, the owner has a happy smile every or the number of shelves. What day. But with desserts to prepare, she was looking for, first and foreproducts to sell and customers to most, was a floor covering good to

feel a bit overwhelmed. "I am or- to clean. It was also important to ganised, so that things happen one find a tough one, because Déolinafter another", she laughs. And in da wanted to see her café always these Brazilian blue walls, life is full. She finally chose the BerryAlrosy. When she took over the pre- loc Original laminate floor, and has mises, she began with a complete never regretted it. Spilt cups, squaredesign. Her first concern, howe- shed cake, stiletto heels or questiover, was not where to put the bar, nable footwear don't frighten her.

serve, Déolinda can sometimes live with, good to look at and easy







The **OiledTouch** finish to our laminates is unparalleled for its sensation of comfort. The floor gives the serene, sensual effect of oiled parquet.





IN A SUNNY MOOD

Some professions demand light. Fashion designers, architects, interior decorators are fond of big windows and doorways into their showrooms or workshops. The same applies to loft-dwellers. But sunlight is harmful to colour, damaging to all kinds of materials. Not BerryAlloc laminates though. Even in very bright sunlight, their colour does not alter in the slightest.



SILENT MOTION

The noise level in a place depends mainly on the floor insulation. Noise and disturbance are no longer a problem in areas covered with BerryAlloc laminates. Each sheet has a Silent System acoustic underlay. People walking about, furniture being pulled or rolled along can hardly be heard from one room to the next. Rolling a chair along the floor in an open-plan office, or in a flat, is scarcely audible to the ears of the people present.







FORMAT: 1207 L x 193 W x 9 + 2 T mm

















WHITE LIMED PINE **DELICATE PEAR** Ref: 1730-4201 Ref: WD735832 WoodStructure 2 Bevels Satin EAN code: 7052870126307

60 mm skirting T-Profil 2,4 m 9320-4201 9411-4201



9320-4292



60 mm skirting T-Profil 2,4 m 60 mm skirt 9320-8531 9411-8531

POLAR ASH 2 STRIPS Ref: 1600-4152 Oiled EAN code: 7052870126215

9320-4292



PINE SILVER Ref: 1600-4211 Oiled 2 Bevels EAN Code: 7052870126222

60 mm skirting T-Profil 2,4 m 9320-4211



WHITE VINTAGE OAK Ref: 1600-4481 WoodStructure Oiled 2 Bevels EAN code: 7052870126178

60 mm skirtii 9320-3901 60 mm skirting T-Profil 2,4 m 9411-3901



GREY VINTAGE OAK Ref: 1730-4691 WoodStructure Oiled 2 Bevels EAN code: 7052870126161

60 mm skirti 9320-4691 60 mm skirting T-Profil 2,4 m 9411-4691



LIGHT SAW OAK Ref: 1730-4681 WoodStructure Oiled EAN code: 7052870126352

60 mm skirting T-Profil 2,4 m 9320-4681



Ref: WD645671 WoodStructure Oiled 2 Bevels EAN code: 7052876456712

60 mm skirting 60 mm skirt 9320-5671 9411-5671



WHITE PINE

9320-5211 9411-5211



ELEGANT NATURAL OAK Ref: 1600-4471 WoodStructure Oiled 2 Bevels EAN code: 7052870126260

60 mm skirting 9320-4471 9411-4471



SPRING OAK Ref: 1600-4491 WoodStructure Oiled 2 Bevels EAN code: 7052870126277

60 mm skirting T-Profil 2,4 m 9320-4491 9411-4491



WHITE OAK 2 STRIPS Ref: WD644512 EAN code: 7052876445129

60 mm skirting T-Profil 2,4 m 9320-5113 9411-5113



RAVEL WALNUT 2 STRIPS Ref: WD644812 EAN code: 7052876448120

9320-4812 9411-4812



COPENHAGEN OAK Ref: 1600-4401 WoodStructure Oiled 2 Bevels EAN code: 7052870126024

9320-4401 9411-4401



SILVER OAK 2 STRIPS Ref: WD648522 WoodStructure Oiled EAN code: 7052876485224

60 mm skirting T-Profil 2,4 m 9320-8522

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

1207 L x 193 W x 9 + 2 T mm 8 boards = 1,86 m² 36 boxes = 67,1 m²

FORMAT: 1207 L x 193 W x 9 + 2 T mm



DRIFTWOOD ASH Ref: WD735241 Satin 2 Bevels EAN code: 7052877352419






WINTER OAK Ref: 1730-4331 WoodStructure Oiled 2 Bevels EAN code: 7052870126314





ELEGANT SOFT GREY OAK Ref: 1600-4461 Oiled 2 Bevels EAN code: 7052870126253





Ref: WD655113 Oiled EAN code: 7052876551134



SUMMER MAPLE 3 STRIPS Ref: 1600-4213 WoodGrain EAN code: 7052870126239

9320-4213



ELEGANT BEECH 3 STRIPS Ref: WD655453 WoodGrain EAN code: 7052876554531

60 mm skirting 9320-5453



CASTLE OAK 3 STRIPS Ref: WD734243 WoodGrain EAN code: 7052877342434 60 mm skirting T-Profil 2,4 m 9320-2915 9411-2915



OILED CLASSIC OAK 3 STRIPS Ref: WD645523 EAN code: 7052876455234 60 mm skirting T-Profil 2,4 m 9320-2915 9411-2915


















OAK CARAMBA Ref: WD648521 Oiled EAN code: 7052876485217





Ref: WD655522 WoodStructure Oiled EAN code: 7052876555224





NATURAL OAK 2 STRIPS Ref: WD644592 WoodStructure Oiled EAN code: 7052870126338

60 mm skirting T-Profil 2,4 m 9320-4592 9411-4592



WHITE OILED OAK Ref: WD644521 Oiled EAN code: 7052876445211

60 mm skirting T-Profil 2,4 m 9320-4521 9411-3675



SUMMER OAK Ref: 1730-4341 WoodStructure Oiled 2 Bevels EAN code: 7052870126321

60 mm skirting T-Profil 2,4 m 9320-4341 9411-4341



CANYON LIGHT OAK Ref: 1730-8520 WoodStructure Oiled 2 Bevels EAN code: 7052870126369

60 mm skirting T-Profil 2,4 m 9320-8520 9411-8520



NATURAL CRACKED OAK Ref: 1600-4661

WoodStructure Oiled 2 Bevels EAN code: 7052870126291

60 mm skirting — T-Profil 2,4 m 9320-4661 9411-4661



OSLO OAK Ref: 1600-4411 WoodStructure Oiled 4 Bevels EAN code: 7052870126031

60 mm skirting T-Profil 2,4 m 9320-4411 9411-4411

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

FORMAT: 1207 L x 193 W x 9 + 2 T mm



CAPPUCCINO OAK Ref: WD645561 WoodStructure 2 Bevels EAN code: 7052876455616

9320-5561

60 mm skirting T-Profil 2,4 m

9411-5561



BROWN CRACKED OAK Ref: 1730-4621 WoodStructure 2 Bevels EAN code: 7052870126345

60 mm skirting T-Profil 2,4 m 9320-4621 9411-4621



Ref: 1600-4291 WoodStructure Oiled 2 Bevels EAN code: 7052870126246





BROWN OAK 2 STRIPS Ref: WD644552 Oiled

60 mm skirting T-Profil 2,4 m 9320-4552 9411-4552



ELEGANT WALNUT 3 STRIPS Ref: WD655853 WoodGrain EAN code: 7052876558539

60 mm skirting T-Profil 2,4 m 9320-5853 9411-5853



ELEGANT MERBAU 2 STRIPS Ref: WD655812 WoodGrain EAN code: 7052876558126

60 mm skirting T-Profil 2,4 m 9320-2503 9411-2503



Ref: WD644531 AntiqueStructure 4 Bevels EAN code: 7052876445310

60 mm skirting T-Profil 2,4 m 9320-4862 9411-4862



AMERICAN CHERRY Ref: WD644311 AntiqueStructure 4 Bevels EAN code: 7052876443118

60 mm skirting T-Profil 2,4 m 9320-4331 9411-4331
















MOCHA OAK Ref: WD655511 NaturalStructure Mat 4 Bevels EAN code: 7052876555118 60 mm skirting T-Profil 2,4 m 9320-5511 9411-5511



Ref: 1600-4131 WoodGrain 2 Bevels EAN code: 7052870126192 60 mm skirting T-Profil 2,4 m 9320-3534 9411-3534



ANTIQUE WENGÉ Ref: WD655011 AntiqueStructure EAN code: 7052876550113 ↑ 60 mm skirting 9320-5011



WoodStructure Oiled 2 Bevels EAN code: 7052870126208 60 mm skirting T-Profil 2,4 m 9320-4141 9411-4141

Ref: 1600-4141



STOCKHOLM OAK Ref: 1730-4601 WoodStructure 2 Bevels EAN code: 7052870126154 60 mm skirting T-Profil 2,4 m

9411-3827

9320-3827



ROYAL OAK 2 STRIPS Ref: WD648512 WoodGrain EAN code: 7052876485125

60 mm skirting T-Profil 2,4 m 9320-8512 9411-3791



DARK OAK Ref: WD648511 WoodStructure 2 Bevels EAN code: 7052876485118

60 mm skirting T-Profil 2,4 m 9320-8511

Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen

FORMAT: 1207 L x 193 W x 9 + 2 T mm

TECH CLASS 34 - AC6

HIGH PRESSURE LOC ALUMNIUM SILENT SYSTEM SYS













LIGHT OAK SHIPDECK Ref: WD648531 WoodStructure Oiled Shipdeck EAN code: 7052876485316

60 mm skirting T-Profil 2,4 m 9320-8531 9411-8531



Ref: WD645542 WoodStructure Oiled Shipdeck EAN code: 7052876455425

60 mm skirting T-Profil 2,4 m



WHITE OILED OAK SHIPDECK NATURAL OAK SHIPDECK **2 STRIPS** Ref: 1600-4592 WoodStructure Oiled Shipdeck EAN code: 7052870126284

60 mm skirting T-Profil 2,4 m 9320-4592



OILED WARMBROWN OAK SHIPDECK Ref: WD645592 2 STRIPS Ref: WD634862 WoodStructure Oiled Shipdeck EAN code: 7052876455920

60 mm skirting T-Profil 2,4 m 9320-5592 9411-3534



OILED TEAK SHIPDECK Oiled ShipDeck EAN code: 7052876348628



ELEGANT MERBAU SHIPDECK 2 STRIPS Ref: WD635812 WoodGrain ShipDeck EAN code: 7052876358122

9320-2503


1207 L x 193 W x 9 + 2 T mm 8 boards = 1,86 m² 36 boxes = 67,1 m² Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen







New STONE COLLECTION






Mineral spirit - Urban spirit 6 design references





































RUSTIC MARBLE 60x30 mm Ref: 62000719 RusticStone

EAN code: 7052870165788

60 mm skirting T-Profil 2,4 m 63000761

Ref: 62000717 Oiled EAN code: 7052870165764

63000759 63000766 RusticStone EAN code: 7052870165771

63000760 63000767







NATURAL SLATE 60x30 mm Ref: 62000714

RusticStone EAN code: 7052870165733

CONCRETE 120x30 mm Ref: 62000716 EAN code: 7052870165757

SLATE 60x30 mm Ref: 62000715 StoneStructure

EAN code: 7052870165740

1195 L x 296 W x 10,3 + 2 T mm 5 boards = 1,77 m² 39 boxes = 68,98 m²





Class 34: Extremely intensive commercial use - Class 23: Bedroom, living room, entrance hall, kitchen









New GRAND AVENUE COLLECTION





Plenty of space for living 10 design references

GRAND AVENUE COLLECTION

New

10 DESIGNS

CLASS 34 - AC6

HIGH PRESSURE CURRENT LOC X-TREME CONSHIRT SET LOC X-TREME CONSHIRT STATIC CURRENTEE COMMERCIAL STATIC CURRENTEE COMMERCIAL STATIC COMMERCIAL STAT















FORMAT: 2410 L x 236 W x 10,3 + 2 T mm

LA RAMBLA Ref: 62000704 WoodStructure Oiled 4 Bevels EAN code: 7052870165535

9320-5581

60 mm skirting T-Profil 2,4 m

9411-5581



ROYAL MILE Ref: 62000709 Brushed 4 Bevels EAN code: 7052870165580 60 mm skirting T-Profil 2,4 m

63000762

63000754



Ref: 62000710 WoodStructure Oiled 4 Bevels EAN code: 7052870165597 60 mm skirting T-Profil 2,4 m 63000755 63000763



Ref: 62000712 WoodStructure Oiled 4 Bevels EAN code: 7052870165610 60 mm skirting T-Profil 2,4 m 63000757 63000770



CHAMPS ELYSÉES Ref: 62000706 WoodStructure Oiled 4 Bevels EAN code: 7052870165559





SUNSET BOULEVARD Ref: 62000705 WoodStructure Oiled 4 Bevels EAN CODE:7052870165542





RODEO DRIVE

Ref: 62000711




KU'DAMM Ref: 62000708 WoodStructure Oiled 4 Bevels EAN code: 7052870165573











MADISON AVENUE Ref: 62000713 WoodStructure 4 Bevels EAN code: 7052870165627



BROADWAY Ref: 62000707 WoodStructure Oiled 4 Bevels EAN code: 7052870165566 60 mm skirting T-Profil 2,4 m

9320-8530





Collections	ORIGINAL	STONE	GRAND AVENUE	
Dimensions (mm)	193	296	236 2410 10,3 + 2	
Number of designs	9 + 2 53	10,3 + 2	10,3 + 2	
Packaging Sheets/box	8 boards 1,86 m ² (16,3 kg)	5 boards 1,77 m ² (17,5 kg)	4 boards 2,32 m ² (22,0 kg)	
Box/pallet	36 boxes 67,10 m ²	39 boxes 68,98 m²	39 boxes 88,73 m ²	
Ingenious locking system	HIGH TECH LOC ALUMINIUM	HIGH TECH LOC X-TREME CALUMINIUM BEST LOC X-TREME CASSIGNT SIDE		
Built-in underlay	SILENT SYSTEM			
Top layer		HIGH PRESSURE EXTREME DUMANE AQUA RESIST STATIC Y		
Classification	3	34 / AC6		
Warranty Residential & Commercial	T	LIFE TIME GUARANTEE RESIDENTIAL 10 YEARS GUARANTEE COMMERCIAL		

ACCESSORIES

BERRYALLOC ACCESSOIRES

A wide range of accessories, easy to install.

VAPOUR BARRIER



The Vapour Barrier underlay must always be used when laying BerryAlloc floor coverings over PVC, linoleum, ceramic tiles, cement and concrete surfaces.

Dimensions : 260 x 1000 x 0,2 mm **Ref: WD158235**

WHITE SKIRTINGS

Leave white or paint to match the colour of the wall or another colour.



Modern skirting 2400 x 14 x 100 mm (L x W x T) Ref: 9372-3045



High skirting 2400 x 12 x 80 mm (L x W x T) Ref: 9330-3045



60 mm skirting 2400 x 14 x 60 mm (L x W x T) **Ref: 9320-3045**



Quarter Round 2400 x 14 x 14 mm (L x W x T) **Ref: 9340-3045**

MATCHING MDF-SKIRTING



60 mm skirting

The ideal solution for a stylish wall finish. $2400 \times 14 \times 60 \text{ mm}$ (L x W x T)



Clips for skirting

- For extremely quick and simple installation of skirting,
- ideal when removing skirting for painting without causing damage to the wall.


Ref: 9310-0017

MATCHING MDF-PROFILES



2400 x 44 x 11,1 mm (L x W x T)

ALUMINIUM PROFILES



Reducer
Aluminium silver
2000 x 46 x 11,7 mm
(L x W x T) Ref:9421-3017
1000 x 46 x 11,7 mm
(L x W x T) Ref: 9421-3017



T-profileAluminium silver
2000 x 46 x 11,7 mm
(L x W x T) **Ref: 9411-3017**1000 x 46 x 11,7 mm
(L x W x T) **Ref: 9410-3017**



End profile
Aluminium
2000 x 20 x 8,65-18 mm
(L x W x T)
Ref: 9430-3017



STARTER KIT

The spacer blocks ensure the correct distance is maintained between the walls and floor during installation and the metal template simplifies the installation of the final sheet on each row.

Ref: WD180000



TAPPING BLOCK

This is the ideal tool to use when installing BerryAlloc floors with their aluminium click system and prevents the click system from becoming distorted.

Ref: WD180003

LAMINATE CLEANING

A perfect maintenance for your laminate floor




The Cleaner Plus product is suitable for the first clean and for regular maintenance. No rinsing necessary.

Ref: WD180011

BerryAlloc has the right flooring for all domestic and public spaces. In addition to natural wood floor, BerryAlloc also offers a complete range of laminates and vinyl flooring, and a wide choice of wall coverings. Discover the full BerryAlloc range at: www.berryalloc.com

Non-contractual document. Printing techniques may cause small variations in the colours shown. BerryAlloc reserves the right to modify its range without notice. Printing 06/16. Limited stocks available.







BerryAlloc NV, Industrielaan 100 - 8930 MENEN - BELGIUM Tel. +32 56 52 84 80 - Fax. +32 56 52 84 90

info@berryalloc.com

www.berryalloc.com











Beaulieu International Group

Manufactured by the Beaulieu International Group under license of Välinge Innovation AB - E.R.: Jan Debrouwere, BerryAlloc, Industrielaam 100, 8930 Menen, BELGIQUE 11002177 ENGLISH WORLDWIDE

BERRY ALLOC® VOOD FLOORS



MADE IN **FRANCE**

Quality, creativity and respect for the environment **p.6**

COLLECTIONS

An extended range of 55 shades **p.18**

GUIDELINES

Choosing your wood floor well & knowing how to lay **p.60**



EDITORIAL

Welcome to a world of softness. Real wood flooring is timeless and irreplaceable. Experience Authentic flooring and discover the deep warmth and the irreplaceable aesthetics offered by this floor which becomes increasingly beautiful year after year. Wood floors bring added value to all homes, from the most contemporary to the most romantic. At BerryAlloc, wood floors stand for comfort as well as sensuality, for beauty as well as sustainability. With the respect of environment written in our DNA, we spare no expenses as far as the quality or the origin of wood are concerned. Our involvement in sustainable development is total. An argument which touches everyone today. Just like the irreproachable made in France quality. This choice explains the elegance of our products: materials, aspects, shades, formats of the unique planks, with infinite variations. Treat yourself to the home of your dreams, where space is enhanced by natural wood floors. "?




MADE IN FRANCE





NOBLE 42





CON TENTS

- 6 MADE IN FRANCE
 - Liberty Creativity Authenticity
- 8 SUSTAINABLE DEVELOPMENT
 - The choice of nature
- 10 FLOOR HEATING
 - Discover the absolute comfort of a temperature which is always perfect
- 14 EASY MAINTENANCE
 - Lacquered or oiled wood floors
- 18 2017 COLLECTIONS
 - 9 collections, 7 formats, 55 shades
- **60 COLLECTIONS GUIDE**
 - Snapshot of the collections
- **68 ACCESSORIES**
 - A wide, easy-to-install range

BERRY = ALLOC°




LONG LIFE TO WOOD FLOORS

MADE IN FRANCE



There is a reason for BerryAlloc wood floors to be guaranteed 30 years. They are made to last, to a very high standard in the heart of the Tronçais forest, in Auvergne. This responsible manufacturing made in the respect of environment, takes into account local economy while focusing on the quality of a Made in France expertise. An internationally recognized quality which symbolizes work well done, expertise and love of wood, passed down from generation to generation. The BerryAlloc wood floors fit both into this tradition and into fashion. On the one hand, there is the very rigorous selection of raw materials. On the other, a revolutionary installation system, the Best Loc Xtreme, without hammer or glue, which enables a secure lock. The BerryAlloc wood floors benefit from the PEFC[™] certification, **A+ certification** and the Parquets de France label. This is more than a sign of recognition. It provides the guarantee of sustainably managed forests, limited transportation and implies the respect of the health of the consumers we are. It is a guarantee of security and quality for a citizen option.









WOOD FLOORS MADE TO LAST

DESIGNED TO LAST

The structure of BerryAlloc wood floors is made to resist. An HDF (High Density Fiberboard) core guarantees excellent stability, a high level of resistance to impact, a true efficiency for floor heating, perfect joints (thanks to very precise manufacturing). The noble wood cover will age well.

GUARANTEES*

The BerryAlloc wood floors are guaranteed up to 40 years for a normal and residential use. The wood floors with a 5-millimeter wood thickness (Lodge XL) 40 years. The wood floors with a 3.3 or 3.5mm wood thickness are guaranteed 30 years (Saga, Noble, Lodge and Ecoforest). Wood floors with a 2.5 mm Wood thickness are guaranteed 15 years (Palace and Majestic).





15 YEARS GUARANTEE



CONCERNING ESTHETICS

With the full-glue option, laying your wood floors (made easier by our BestlocX-Treme system) does not need expansion joints. We recommend it for wide spaces above 8m as the result is homogeneous. Otherwise, you should use T-mouldings, which are color coordinated to your wood floors.

Consult our instructions on the fitting conditions on berryalloc.com

* Please read our guarantee conditions.





VARNISHED OR OILED WOOD FLOORS

A SIMPLE & QUICK MAINTENANCE

Prepared in a factory to make your life easier; varnished or oiled wood floors are easily cared for today. The only thing to do is to decide which one to choose, as it is a question of taste and desire.

VARNISHED WOOD FLOORS, THE EFFICIENCY.

With children at home, it is the guarantee you will not have to spend hours cleaning. Varnished, or lacquered, the wood floor is covered with an invisible layer of waterproof protection film which protects the wood, avoids use and dirt. Glossy or mat, it is your choice. And to maintain the beauty of your floors, we recommend you to take care of them with appropriate products.

OILED WOOD FLOORS, THE SUBTLETY.

The ones who like nature choose this version that requires a little more care. Covered in a product made with oil and specific components saturating its pores, the wood is protected. It is a subtle finish requiring more care. When it loses its shine, it just needs to be revived with an adapted oil. An operation which needs to be carried out once a year in general in each room (adapted to the trafic).

OUR ADVICE


To keep the beauty of your floor as long as possible, think of felt pads under the legs of your furniture. Do not forget to have a doormat at the entrance. Two efficient means to avoid scratches. And consult our maintenance records to know the products adapted to your wood floor.

TECHNICAL POINTS
TECHNICAL POINTS

















WOOD FLOORS NATURAL & AUTHENTIC

RESISTANT TO ALL THE TESTS OF LIFE

Our floors are so resistant that they have a 15 to 40 year guarantee on all house applications! The structure of the BerryAlloc wood floors with an HDF core guarantee perfect stability, perfect joints and a great efficiency for floor heating.

AUTHENTIC AND CREATIVE

9 collections, 5 aspects, 4 choices of wood, 82 references in different formats, we have put all our creativity to the service of the most beautiful wood species for an optimum personalization of your home.

SIMPLE TO INSTALL AND SUSTAINABLE


The Best LOC® and Best LOC X-Treme fixation systems for an easy assembly with no tools or glue and the joints have a strong resistance over time (with a lifetime guarantee).

RESPECTFUL OF THE ENVIRONMENT

The PEFCTM certification on BerryAlloc wooden floors endorses our respect for nature.

BERRY = ALLOC°





XL 40 PACKS - 88,86 M²





1. SAGA PROVENCE ♠ HARMONY Brushed+ Oiled Parquet SAGA: 61000480 SAGA XL: 61000488 Skirting:PL5471 Profile : P1CBN71



4. SAGA MONT BLANC -(a) HARMONY Brushed Oiled Parquet SAGA : **61000482** SAGA XL : **61000490**



7. SAGA BELLEVILLE -(a) HARMONY Brushed+ Oiled Parquet SAGA : **61000484** SAGA XL : **61000492** Skirting: PL5488 Profile : P1VIH93



SAGA NATUREL ♠ HARMONY Brushed+ Oiled Parquet SAGA: 61000479 SAGA XL: 61000487 Skirting: PL5449 Profile : P1CVM49



SAGA **NORMANDIE** -(a) HARMONY Brushed Oiled Parquet SAGA : 61000481 SAGA XL : 61000489



8. SAGA SAINT-GERMAIN



3. SAGA VERSAILLES -♠ HARMONY Brushed+ Oiled Parquet SAGA: 61000478 SAGA XL: 61000486 Skirting:PL5452 Profile: P1CFM52



6. SAGA BORDEAUX (HARMONY Brushed Oiled Parquet SAGA: 61000485 SAGA XL: 61000493 Skirting:63000749 Profile: 63000750

(a) HARMONY Brushed Oiled Parquet SAGA: 61000483 SAGA XL: 61000491

OAK PARQUET COLLECTION AVAILABLE IN: (OILED

























SAGA



WHEN EXTREME SENSES RIME WITH THE DEPTH OF THE SHADES.





COSMO

- Walnut - Ash - Sapele Parquet Collection -



1. COSMO SAPELE

Brushed Matt Lacquered
Parquet: N9SBM



COSMO ASH MILK
 Brushed Matt Lacquered
 Parquet: N9FYBMIM



3. COSMO ASH CREAM

Brushed Matt Lacquered
Parquet: N9FYBUM



4. COSMO ASH CHOCO ——

8 Brushed Matt Lacquered

Parquet: N9FRBRM



5. COSMO WALNUT TEA

Matt Lacquered

Parquet: N9NOBUM



6. COSMO WALNUT COFFEE

Matt Lacquered


Parquet: N9NOM Skirting: PL5477 Profile: P1NP77

PLANK (mm): 1 180 L x 164 w x 14 Th.

PACKAGING PACK: 8 PLANKS - 1,54 m² PALLET: 66 PACKS - 102,17 m²



THICKNES WOOD 3,3 mm



















CEPT ASH







LODGE

Oak Parquet Collection



LODGE ANAPURNA
 Rustic Natural Wax
 Parquet: LDCDDANAPH



LODGE EVEREST —
 Rustic Natural Wax
 Parquet: LDCDDEVERH



3. LODGE FUJI

Rustic Natural Wax

Parquet: LDCDDFUJIH



4. LODGE KILIMANDJARO

Rustic Natural Wax

Parquet: LDCDDKILIH



5. LODGE HIMALAYA
Rustic Natural Wax

Parquet: LDCDDHIMAH



6. LODGE KENYA

Rustic Natural Wax

Parquet: LDCDDKENYH



7. LODGE XL HIMALAYA

(a) Rustic Natural Wax

Parquet: LXDDHIMALH



8. LODGE XL KENYA —

(a) Rustic Natural Wax

Parquet: LXDDKENYAH

OAK PARQUET COLLECTION AVAILABLE IN:
 OILED

LODGE

XL

PLANK (mm): 1 900 L x 190 w x 15 Th. **XL**: 2 800 L x 260 w x 20 Th.


PACKAGING

PACK: 6 PLANKS: 2,16 m² / **XL** 4 PLANKS: 2,91 m²
PALLET: 35 PACKS: 75,81 m² **XL** 28 PACKS: 81,53 m²

THICKNESS WOOD 3,5 mm / XL 5 mm


























EMOTIONS



1. EMOTIONS AMBER Sawcut Matt Lacquered Parquet: **N8CTVBAMBM** Profile: P1CFM52



2. EMOTIONS **LOULOU** Sawcut Matt Lacquered Parquet: **N8CTVBLOUM** Profile: P1CGP63



3. EMOTIONS **JOY** Sawcut Matt Lacquered Parquet: N8CTVBJOYM



5. EMOTIONS ALLURE -Sawcut Matt Lacquered Parquet: N8CTVBALLM Profile: P1VIH93

6. EMOTIONS **FLOWER** Sawcut Matt Lacquered Parquet: N8CTVBFLOM

4. EMOTIONS LOLITA

Sawcut Matt Lacquered

Parquet: **N8CVTBLOLM** Profile: P1BLH83

OAK PARQUET AVAILABLE IN: S LACKERED

PLANK (mm): 1180 L x 164 w x 14 Th.

PACKAGING PACK: 8 PLANKS - 1,54m² PALLET: 66 PACKS - 102,17 m²


























EVERYBODY WILL FIND THE PERFECT

FLOOR FOR THEM!



Oak Floors, naturally! 7. NOBLE MANOIR **GIRLY** (a) Brushed Natural Wax Parquet: N1CYBRNACH Skirting: 63000585

PLANK (mm): 1180 L x 164 w x 14 Th. **PACKAGING**

PACK: 8 PLANKS - 1,54 m² PALLET: 66 PACKS - 102,17 m²



WOOD

3,3 mm

NOBLE

Oak Parquet Collection



1. NOBLE MANOIR POLAR WHITE -

Patina Lacquered

Parquet: N3CYBP Skirting: PL5460 Profile: P1CBP60



2. NOBLE MANOIR PURE Brushed Matt Lacquered

Parquet: N3CYBUM Skirting: PL5471 Profile: P1CBN71



3. NOBLE MANOIR **CREAM** Brushed Matt Lacquered Parquet: N3CYBDM Skirting: PL5490 Profile: P1CDE90



4. NOBLE RESIDENCE WHITENED

Brushed Oiled

Parquet: N4CRBH Skirting: PL5483 Profile: P1BLH83



5. NOBLE RESIDENCE MINERAL GREY —

Brushed Oiled

Parquet: N4CRGMH Skirting: PL5485 Profile: P1GMH85



6. NOBLE RESIDENCE LIGHT GREY -

Brushed Oiled

Parquet: **N4CRGVH** Skirting: PL5486 Profile: P1GVH93



8. NOBLE MANOIR EXCLUSIVE GREY Brushed Matt Lacquered

Parquet: N3CYGEM Skirting: PL5468 Profile: P1CM68



9. CHATEAU **WHITE SAND** Brushed Matt Lacquered Parquet: N1CABMM Skirting: PL5471 Profile: P1CBN71



10. NOBLE MANOIR **LIGHT WHITE**

Brushed Oiled

Parquet: N4CYBVH Skirting: PL5484 Profile: P1BVH84

OAK PARQUET COLLECTION AVAILABLE IN: (a) OILED - (a) LACKERED - (a) UNFINISHED
























NOBLE

Oak Parquet Collection



11. NOBLE MANOIR BRONZE

Brushod Natural Way

Brushed Natural WaxParquet: N1CYBBRONH Profile: 63000586



14. NOBLE RESIDENCE

Brushed Matt Lacquered


Parquet: N1CRBRM Skirting: PL5452 Profile: P1CFM52



17. NOBLE CHATEAU

Brushed Matt Lacquered

Parquet: N1CAQ5Q Skirting: PL5449 Profile: P1CVM49



12. NOBLE MANOIR MOONSTONE GREY

Brushed Patina Lacquered

Parquet: N3CYBGP Skirting: PL5463 Profile: P1CGP63



13. NOBLE RESIDENCE BURGUNDY

(a) Brushed Natural Wax

Parquet: N1CRBBURH Profile: P1BER98



15. NOBLE MANOIR ——

**Parquet Unfinished

Parquet: N1CY#5Q



(a) Natural Brushed Oiled

Parquet: N4CYNH Skirting: PL5476 Profile: P1CP76



18. NOBLE MANOIR

Brushed Matt Lacquered

Parquet: N1CYQ5Q Skirting: PL5449 Profile: P1CVM49



19. NOBLE RESIDENCE

Brushed Matt Lacquered


Parquet: N1CRQ5Q Skirting: PL5449 Profile: P1CVM49



PLANK (mm): 1180 L x 164 w x 14 Th.

PACKAGING
PACK: 8 PLANKS - 1,54 m²
PALLET: 66 PACKS - 102,17 m²

THICKNESS WOOD 3,3 mm





 20_{colours}





















AMBITION

Oak Parquet Collection -



AMBITION EDEN Sawcut Natural Oil Parquet: 61000352



2. AMBITION NIRVANA Sawcut Oiled Parquet: 61000356



AMBITION EUPHORIA Sawcut Natural Oil Parquet: 61000351



4. AMBITION **ENVY** Sawcut Oiled Parquet: **61000359**



5. AMBITION SHANGRI-LA Sawcut Matt Lacquered Parquet: 61000353



AMBITION ETERNITY Sawcut Oiled Parquet: **61000357**



7. AMBITION BLISS Sawcut Oiled




8. AMBITION **HEAVEN** Sawcut Matt Lacquered



OAK PARQUET COLLECTION AVAILABLE IN: (OILED - CLACKERED

PLANK (mm): 1180 L x 210 l x 13 Th.

PACKAGING PACK: 8 PLANKS - 1,98 m² PALLET: 50 PACKS - 99,12 m² THICKNESS WOOD 2,5 mm



























 $0 \hspace{1cm}$ 5







PALACE

- Oak Parquet Collection -



1. PALACE MANOIR PURE - ⊗ Brushed Matt Lacquered Parquet: **P1CYBUM** Skirting: PL5471 Profile: P1CBN71



2. PALACE RESIDENCE **CREAM** Brushed Matt Lacquered Parquet: P1CRBDM Skirting: PL5490 Profile: P1CDE90



Brushed Matt Lacquered Parquet: P1CYGPM Skirting: PL5468 Profile: P1CM68


PALACE MANOIR Brushed Matt Lacquered Parquet: P1CYBM5 Skirting: PL5449 Profile: P1CVM49



6. PALACE CHATEAU -



Brushed Patina Lacquered Parquet: P1CABP5 Skirting: PL5476 Profile: P1CP76



4. PALACE MANOIR **SMOKED**

Brushed Matt Lacquered


7. PALACE RESIDENCE Brushed Patina Lacquered Parquet: P1CRBP5 Skirting: PL5476 Profile: P1CP76



8. PALACE RESIDENCE × Parquet Unfinished

PLANK (mm): 1180 L X 130 W X 11 Th.

PACKAGING PACK: 8 PLANKS - 1,22 m² PALLET: 88 PACKS - 107,99 m² **THICKNESS** WOOD 2,5 mm



OAK PARQUET COLLECTION AVAILABLE IN: SLACKERED - SUNFINISHED

















ECOFOREST



ECOFOREST COUNTRY BLUSH

Brushed Natural Wax

Parquet: **E1C3YBRAPH** Profile: P1PEA03



ECOFOREST COUNTRY GIRLY -Brushed Natural Wax

Parquet: E1C3YBNACH Profile: 63000585



7. ECOFOREST ELEGANCE

Satin Lacquered

(3 strips with 70 mm)

Parquet: E1C3L5Q Skirting: PL5440 Profile: P1CH40

PLANK (mm): 1180 L X 210 W X 14 Th.



2. ECOFOREST NATURAL **OTTAWA**


(6) Brushed Oiled

Parquet: E1C3UBPUH Skirting: PL5471 Profile: P1CBN71



5. ECOFOREST COUNTRY **NATURAL WHITE** Brushed Patina Lacquered

Parquet: **E1CYBNP** Skirting: PL5471 Profile: P1CBN71



8. ECOFOREST NATURAL -

PACKAGING

⊗ Brushed Matt Lacquered

PACK: 8 PLANKS - 1,98 m² PALLET: 50 PACKS - 99,12 m²

Parquet: E1CUQ5Q Skirting: PL5449 Profile: P1CVM49 Satin Lacquered

Parquet: E1C3U5Q Skirting: PL5440 Profile: P1CH40



3. ECOFOREST COUNTRY MILAN

⊗ Brushed Matt Lacquered



6. ECOFOREST COUNTRY PEARL GREY —

Brushed Patina Lacquered

Parquet: E1CYGPP Skirting: PL5468 Profile: P1CM68



9. ECOFOREST COUNTRY


⊗ Brushed Matt Lacquered

Satin Lacquered

Parquet: E1C3Y5Q Skirting: PL5440 Profile: P1CH40



THICKNESS WOOD 3,3 mm





Traditional wood floors

revisited in one lath.













10. ECOFOREST COUNTRY CAPPUCCINO

Parquet: E1CYSWM Skirting: PL5494 Profile: P1CCA94

Brushed Matt Lacquered









MAJESTIC



1. MAJESTIC COUNTRY **NATURAL WHITE** Brushed Patina Lacquered Parquet: **18CYBNP** Skirting: PL5471 Profile: P1CBN71



MAJESTIC COUNTRY SOFT GREY -Brushed Matt Lacquered Parquet: **18CYBLM** Skirting: PL5468 Profile: P1CM68



5. MAJESTIC **NATURAL** Brushed Matt Lacquered Parquet: 18CUBRM Skirting: PL5449 Profile: P1CVM49



2. MAJESTIC COUNTRY WHITE Brushed Matt Lacquered Parquet: **18CYBBM** Skirting: PL5450 Profile: P1CBM50



4. MAJESTIC COUNTRY CAPPUCCINO — Brushed Matt Lacquered Parquet: 18CYSWM Skirting: PL5494 Profile: P1CCA94



6. MAJESTIC COUNTRY Satin Lacquered Parquet: **18C5G** Skirting: PL5440 Profile: P1CH40

PLANK (mm): 1180 L X 210 W X 11 Th. (3 strips with 70 mm)

PACKAGING PACK: 8 PLANKS - 1,98 m² PALLET: 50 PACKS - 99,12 m²

















GUIDE	SINGLE PLANK					SINGLE PLANK			3-STRIPS		
COLLECTION Format	LODGE XL 260 mm	LODGE	SAGA XL	SAGA	NOBLE COSMO	EMOTIONS	PALACE	AMBITION	ECOFOREST	MAJESTIC	
Number of references	mm	1900 mm	1980 mm	187 mm 1180 mm	164 mm 1180 mm	164 mm 1180 mm	130 mm 1180 mm	210 mm 1180 mm	210 mm 1180 mm	210 mm 1180 mm	
Structure of the planks:	2 6		8		20 + 6	6	8	8	12		
- Solidwood facing - Central core - Counter backing	51 20	3,5\$ 15	3,3		3,31	3.31	2,51	2.5\$ 13	3,31	2,53	
Guarantee	40 YEARS CLUARANTEE	30 YEARS CLIARANTEE	YEARS CHARANTEE TIME CHARANTEE		30 YEARS CLIMAANTEE TIME CLIMAANTEE	30 YEARS CLIAMANTEE LOC LIFE TIME CLIAMANTEE	15 YEARS CUMMANTE LOC LIFE TIME CUMMANTE	15 YEARS CUARANYTE TIME CUARANYTE	YEARS CUARANTEE LOC LIFE TIME CLARANTEE	15 YEARS GUARANTEE LOC LIFE TIME GUARANTEE	
Loc	7		BEST LOC' X-TREME		BEST LOC' X-TREME	BEST LOC* X-TREME	BEST LOC* X-TREMB	BEST LOC* X-TREME	BEST LOC' X-TREME	BEST LOC'	
Finish	NATURAL OIL		OILED		ULTIM OILED NATURAL OIL	SOFT	MASTER RESIST	MASTER OILED NATURAL OIL	OILED NATURAL OIL	MASTER	
Bevel (long side) Surface	RUSTIC					SAW		SAW			
Label			PEFC British S		PEFC Parquets :	PEFC'	PEFC Projects I Projects I Project S	Property 2	PEFC Parant S	Paquet 5	
Packaging	Pack 4 planks - 2,91 m ² Pallet 28 packs - 81,53 m ²	Pack 6 planks - 2,16 m ² Pallet 35 packs - 75,81 m ²	Pack 6 planks - 2,22 m² Pallet 40 packs - 88,86 m² 1040 L x 2000 W x 900 H	Pack 8 planks - 1,76 m ² Pallet 40 packs - 70,61 m ² 1130 L x 1200 W x 1390 H	Pack 8 planks - 1,54 m² Pallet 66 packs - 102,17 m² 1130 L x 1200 W x 1390 H	Pack 8 planks - 1,54 m ² Pallet 66 packs - 102,17 m ² 1130 L x 1200 W x 1390 H	Pack 8 planks - 1,22 m ² Pallet 88 packs - 107,99 m ² 1200 L x 1200 W x 1080 H	Pack 8 planks - 1,98 m² Pallet 50 packs - 99,12 m² 1200 L x 1200 W x 1180 H	Pack 8 planks - 1,98 m ² Pallet 50 packs - 99,12 m ² 1200 L x 1200 W x 1280 H	Pack 8 planks - 1,98 m² Pallet 50 packs - 99,12 m² 1200 L x 1200 W x 1000 H	
Classification Walnut											
Classification Oak, Ash, Sapele								000			

Classe 21 Moderate domestic
Classe 22 General domestic
Classe 23 Heavy domestic
Classe 24 Heavy domestic
Classe 25 Heavy domestic
Classe 26 Heavy domestic
Classe 27 Heavy domestic
Classe 28 Heavy domestic
Classe 29 Heavy domestic
Classe 29 Heavy domestic
Classe 20 Heavy domestic
Classe 21 Moderate domestic
Classe 22 General domestic
Classe 23 Heavy domestic
Classe 24 Heavy domestic
Classe 25 Living rooms, without outside access (living rooms, sitting rooms, apartment rooms and corridors).
Classe 26 Entrance halls, rooms with outside access.

Classe 31 Moderate commercial Individual offices, hotel rooms.

Classe 33 Heavy commercial Library, churches, shops with outside access, open offices...

Classe 34 Very heavy commercial Airports, department stores, counter halls...

SINGLE PLANK WOOD FLOOR









3 STRIPS WOOD FLOOR









SURFACES FINISHES



UNFINISHED PARQUET





LACQUERED PARQUET

Our different lacquers, which have a high content of aluminium oxide insure the parquet an extreme wear resistance and a easy maintenance.



SOFT TOUCH®:

A new generation varnish that provides a very silky touch sensation and exceptional surface finish. You can find the matt varnish look in the Emotions range.



ULTIMTEC® Ultimtec® varnish establishes new standards for durability and strength. Thanks to its conclusive formulation of molecular nanotechnology, wear and scratch resistance (over 10,000 rpm Taber) has improved dramatically. Available in 3 finishes: satin, patina or matt can be found in the Ecoforest & Noble ranges.



MASTERRESIST®

Applied in 6 coats, this varnish provides a thick enough layer to ensure the protection and easy maintenance of your floor. It offers a beautiful satin, patina or matt look that you can find in the Palace, Ambition and Majestic ranges.

OILED PARQUET



OILED FINISH

The parquet is impregnated with a top quality oil to nourish the material and reinforce the protection.



NATURAL OIL FINISH

The parquet is impregnated with high quality natural oil based on linseed oil for an authentic and natural appearance. See this in the Lodge, Lodge XL, Noble, Ambition and Ecoforest ranges.

DECORATIVE FINISHES

RUSTIC CRACKS

BRUSHED

SAWCUT














Made using traditional know-how, this finish with deep brushing and grooves gives the pronounced character of an old parquet floor.

The wood is brushed mechanically to highlight its grain structure and to visually reinforce its robustness.

For a unique finish, the wood surface displays a sawdust pattern. This structured effect provides a subtle finish to the board.

INSTALL WITHOUT TOOLS OR GLUE



BEST LOC® X-TREME

Installation is even easier, simpler and faster (up to 30% faster compared to Best Loc®). The planks are installed one after another, by simply folding them into place. No tools or glue needed.





BEST LOC®

> Angle-angle installation method

The quality of its profile and the angular locking (length/width) makes it easy to lay without tools, glue or mallet.



OUR INSTALLATION SYSTEMS ARE REMARKABLY **STRONG**, AND SO **DURABLE** THAT BEST LOC® AND BEST LOC® X-TREME COME WITH A **LIFETIME GUARANTEE**.

TRADITIONAL INSTALLATION



TONGUE & GROOVE

> Traditional glued tongue and groove installation.

The boards are made with a part called the « groove » and a part called the « tongue » which is held together with a vinyl adhesive.

INSTALLATION BASIC RULES



- Before laying, let the planks lie flat (closed packs) in the room for 24 to 48 hours.
- Make sure the supporting surface is clean, even, firm and dry.
- Mix the planks from several packs in one production batch, so that the overall appearance of the floor is balanced.
- Our parquets may be laid on a floating or glued-down base.
- Our parquet is suitable for laying over a low-temperature, heated floor (max 28°C).
 "Glued-down" laying ensures that the under-floor heating is on effected.
- Laying over a cooled floor is not recommended, and is not covered by our warranty.
- Do not lay BerryAlloc parquet in damp rooms! Water is the N°1 enemy of wood.
- Please read the installation instructions carefully before starting to lay your wood floor.

MAINTENANCE OF PARQUET

- You just need to sweep or vacuum, dust or wipe with a cloth. But, be careful! If you are using a floor cloth, make sure it's not too wet: water and wood do not get along...
- If your BerryAlloc parquet should start to show signs of fatigue and lose its vividness, simply rejuvenate it! Clean it very carefully and then apply a grease-remover. Finally, apply a renovating coat. This will restore its splendour, enhanced by the patina of the years.
- Scratches can be easily repaired by applying wax sticks matching to the colour of the wood.

FOR LACQUERED PARQUET, WE RECOMMEND

GREASE REMOVER

BLANCHON super-active cleaner Remover BONA Parquet Cleaner OVERMAT

RENOVATING COAT

BLANCHON renovator

D 509 BONA Polish Remover OVERMAT

FOR OILED PARQUET

NATURAL SOAP BY BERRYALLOC (supplied in 1 L bottles)

BerryAlloc 100% vegetable natural soap is used for regular deep cleaning of oiled parquet. Powerful, it preserves the natural appearance and beauty of the parquet and is improving its protection.

MAINTENANCE OIL BY BERRYALLOC (supplied in 1L bottles)

Oil and wax-based BerryAlloc maintenance oil protects the parquet and preserves the natural, warm appearance of the oak. Gives protection and patina to the parquet. Oil ready for use.

COLOURED OILS BY BERRYALLOC (supplied as 250ml / option hardener 50 ml)

BerryAlloc coloured oils are used to repair oiled parquets easily and effectively. There are a number of shades to match the colours of our collection of oiled parquets. They may be mixed with our hardener for faster drying. They may also be used for full renovation, or may be applied to bare parquet boards. (see instructions for use).

UNDERLAY OR GLUE

THE INDISPENSABLE ACCESSORY FOR YOUR WOOD FLOOR


Especially to provide the optimum sound-proofing for the room itself and the rooms below.



EXCELLENCE+ UNDERLAY

Extra heavy for extra sound insulation.

- Includes an adhesive strip
- Great noise insulation (-19 dB), both in the room and in rooms below
- Available in 10m2 rolls (as per DTU51.11 standard)



EXCELLENCE ENDURANCE UNDERLAY

- Permanent extra high load-bearing resistance to heavy weights (as per DTU51.11 standard)
- Integrated adhesive strip
- Sound insulation (-17dB)
- Available in 20m2 rolls



BERRYALLOC ADHESIVE

For full bonding of your parquet:

- Ideal floor heating
- Reduces footstep noise
- No water, no solvent, fast setting, elastic hardening
- CTBA NF B 54008 certification
- Consumption: 750-1000g/m² depending on the fixture
- Available in boxes of 3 packs of 6kg (18kg) with dispenser

STAIR NOSE

Stair Nose & Profile Perfect Fit: 1000 mm or 2400 mm


This stair nose is made of aluminium covered with an oak laminate. It is also very practical if the stair. With the Perfect Fit profile. The stair nose locks onto the planks, and results in a perfect, smooth transition.



Stair nose with Perfect Fit profile



Stair nose without Perfect Fit profile



Perfect Fit Profil
Stair nose

SKIRTINGS

WHITE SKIRTINGS TO BE PAINTED IN THE COLOUR OF THE WALL OR WOOD VENEER MATCHING THE COLOUR OF YOUR WOOD FLOOR



WHITE SKIRTING 100 MM 2400 x 14 x 100 mm (L x W x H)



MODERN SKIRTING 80 MM
A simple design, for a contemporary decorative touch. 2400 x 14 x 80 mm (L x W x H)



WHITE ENGLISH SKIRTING 110 MM 2400 x 14 x 110 mm (L x W x H)



BEADINGThe essential fitting to link an existing skirting to a new floor, and also to hide the expansion joint.
2400 x 14 x 14 mm (L x W x H)

PROFILES & CONNECTIONS

3 in 1 Profile!

Our 3-in-1 profile is the ideal solution for transition between two types of floor covering, to hide a difference in height or an expansion joint. **Supplied with a cutting tool and fixing bar.**

930mm long x 45mm (min.) or 62.8mm (max.) wide 2150mm long x 45mm (min.) or 62.8mm (max.) wide



SUPPLIED WITH CUTTING TOOL AND FIXING BAR



END-PROFILE

For a perfect finish around the edge of your floor, or to ensure the transition with a sliding frame, a door

threshold, etc.



REDUCER
A reducer provides a
perfect link between your
new wood floor and a lower
floor (tiling, carpet, etc.).



T-PROFILEProvide a perfect transition between two planks, and hide the expansion joint.

BerryAlloc has the right flooring for all domestic and public spaces. In addition to natural wood floor, BerryAlloc also offers a complete range of laminates and vinyl flooring, and a wide choice of wall coverings. Discover the full BerryAlloc range at:

www.berryalloc.com

Non-contractual document. Printing techniques may cause small variations in the colours shown. BerryAlloc reserves the right to modify its range without notice. Printing 01/17. Limited stocks available.









BerryAlloc NV, Industrielaan 100 8930 MENEN - BELGIUM Tel. +32 (0)56 67 66 11

info@berryalloc.com













International

Beaulieu

Group





At Beaulieu Flooring Solutions we dream, feel, live and love flooring. More than just making beautiful floors, we create visually pleasing, durable, quick to install and easy to maintain solutions. As the European leader in wall-to-wall flooring, we stand for excellent value for money, continuous innovation as well as a dedicated and personal service. In short, we provide you with the best of the best in a greener and more sustainable way.

Our passion for flooring is reflected in one of our divisions, BerryAlloc. This internationally renowned and highly rated range offers you wonderful laminate for residential and commercial use, wall panels for kitchens and bathrooms and a complete parquet flooring series each with accompanying accessories.

In this brochure we present to you the Vinyl Planks collection (aka LVT - Luxury Vinyl Tiles). Enjoy DreamClick, the new and revolutionary locking system. Or go for GlueDown dryback design flooring. Choose any design you see fit for your home. But most of all be inspired and share our passion.



www.berryalloc.com www.beaulieuflooringsolutions.com

Contents



02 Introduction
03 Contents
04 Our unique features
07 Why choose PURE?
08 Mindsets
10 Inspiration

40 Installation
44 Dimensions
46 Decors
62 Accessories
66 Technical data
68 Color overview





PURE CLICK



40

PURE




OUR UNIQUE FEATURES



No levelling floors

When the surface or subfloor is slightly uneven, little or no levelling is required. Thanks to the recently developed RCB technology (Rigid Composite Board), you can just install PURE on top of your old tile floor, with no risk of telegraphing the tile joints. This means more time savings and easier and faster installation!



Water-resistant

Looking for a floor that can stand up to wet and dirty shoes or children who turn your bathroom into a swimming pool? Then a PURE LVT floor is just what you need: it is fully water-resistant, from top to bottom. So feel free to install it anywhere you like!



Acoustic top layer

PURE absorbs noise to the max! The floor gives off a soft sound when you walk on it and like real wood, feels warm and cosy to your feet. Besides, it has a protective polyurethane lacquer. This makes the floor easy to clean and protects it against daily wear and tear.



360° locking system

The DreamClick locking system lets you have your floor up and ready in no time. The unique 360° interlocking profile makes the planks click together on each side: back, front, left or right. You can create any floor pattern you can think of. A versatile and superior solution!



WHY CHOOSE PURE?



Warm underfoot

This floor touches the senses. Not only are our decors a delight to the eye, they also feel warm and cosy to your feet.



Lightweight

The RCB technology makes the board lightweight and stable. No need to drag heavy packs around!



Loc strength

The strong joints give a greater resistance to heavy traffic and rolling loads.



Environmentally friendly

Our floors are 100% recyclable.



9 unique planks

The vinyl floors come in 9 unique planks per design.



Protective PU lacquer

All our floors are hygienic and stainresistant thanks to the polyurethane lacquer.



Suitable for floor heating

The vinyl floors have a low heat resistance, which make them an ideal match with floor heating.



Easy maintenance

This floor requires very little maintenance. All you need is a wet mop and standard cleaning products.



Dust-free installation

Our floors are simple and fast to install. You need little equipment and installation is dust-free.



No leveling



Made in Belgium

BerryAlloc vinyl planks are developed and produced in Belgium.

The 2015 collection is

1.

Spirit

When it comes to creating comfortable spaces, we like to keep an open mind.
That's our nature. No stress. Be yourself.
Follow your intuition. Be happy.














inspired by 4 key trends

3.

Future


Embrace the future and dare to innovate. That's our motto. So yes, we're cutting edge and into hightech, as long as it doesn't disturb your comfort zone.













4.

Folk

We're all fascinated by crafts and inspired by art and design. Moreover, we like to share our ideas and make the world a more beautiful and warm place to live in.











Your idea of a living room

Nothing beats the feeling of coming home after a hard day's work and relaxing in the warm surroundings of a cosy living room. No one knows this better than Katy and Nathan. That's why they fell for the pleasant feel of vinyl plank flooring.

<u>Nathan (32)</u>

"The click system made it really easy to install this floor!"

Cosy comfort




"In our living room we like everything to be calm and cosy. Shoes off, lie on the couch and enjoy. No stress, just relax. To create that atmosphere we picked a warm floor that reflected our lifestyle. The BerryAlloc PURE vinyl plank collection came in a wide variety of designs and colours. There were

and tile designs! With such a wide range, from soft to more rustic we had no trouble finding the floor we liked. Today, we enjoy the realistic look of our PURE floor, and its warm wood structure and subtle bevels. Home sweet home!"











It's a dream come true

The bedroom is a place to enjoy a good night's sleep. That's why it has to feel comfortable, and sooth all your senses. "Besides, our kids are allergic to dust, so we wanted to be sure the environment was hygienic and easy to clean", says Ann.

"A friend of ours suggested we lay vinyl planks in all the bedrooms. They come in a wide range of designs and colors, and have the right qualities to create a nice and quiet bedroom environment. The special acoustic vinyl top layer provides an ultra-light walking sound and a soft and warm surface. No noise of your children's feet when they're running around. No more cold feet when you have to get out of bed at night. Moreover, the vinyl PUR coating makes the floor easy to clean and ultra hygienic. You just need a little water and a mop. It's really a dream come true!"

Ann (42)

"Vinyl planks feel warm and cosy. So, no more cold feet when you have to get out of bed!"

















HAVE A **nice** TIME!







WASHED & READY pure pleasure































EVERY DAY fun DAY!


























Enjoy a kitchen to your taste

Tastes vary and we don't just mean in terms of food. When it comes to interior design different people like different things too. Are you into country or urban styles? Do you prefer something modern or classic? Patricia and Eric had a taste of our collection and were delighted.

"A kitchen floor isn't about style alone. It has to fit into the bigger picture. It needs to be practical, easy to clean and hard-wearing too. The kitchen is the centre of our home and the place where everybody comes together to eat, drink, work and play. Once in a while things get spilt on the floor or someone runs over it in dirty shoes.

That's why we fell for PURE vinyl planks. They are easy to install, available in any design and colour, and maintenance-friendly. All you need is water and a cleaning product to keep the floor in tip-top condition. The pleasant feeling of warmth and silence is a nice bonus."





Patricia (51)

"I like a clean kitchen with a cosy atmosphere. The design and low maintenance of this floor have exceeded my expectations."

















Every day our shop attracts plenty of people. Due to the high traffic, the floor needs to be ultra wear resistant. That's why we chose vinyl plank flooring when we rennovated the shop last year. They are not only hardwearing, but also easy to install. We only had to close for one day! Two workers installed the floor side by side, without creating huge clouds of dust. There was no mess, we could leave all of our products on the shelves and were ready to re-open in the nick of time!"
















A great place TO WORK





PURE CLICK

A revolutionary click system

A 360° LOCKING SOLUTION

- Super-fast installation: PURE Click is unbeatable for installation thanks to its unique identical interlocking profile on all 4 sides. No need to walk back to the other side of the room to start the next row. Start the installation in either corner of the room and click your way to the other side. You can start the next row where you've finished the previous row.
- Expand your creative thinking and fit any floor pattern you can think of. You can even mix several colours to create a staggering effect.
- Several fitters can work simultaneously on the same floor. You can finish any room in no time at all!
- Thanks to the solid and more Rigid Composite Board (RCB), PURE Click is unaffected by high moisture levels and is extremely stable at normal room temperatures.
- The strong joints give a greater resistance to heavy traffic and rolling loads.
- PURE Click: lifetime warranty for residential use.





- 1 Protective PU lacquer
- 2 Wear layer (0,40/0,55 mm)
- 3 Acoustic vinyl decor layer (with fiberglass)
- Rigid Composite Board (RCB) with DreamClick locking elements



How to click your floor



Join the planks by positioning and sliding them towards each other flush with the floor so that the connector tabs start to interlock.



To complete the joint, lift the outer edge of one plank upwards to approximately 20°. You don't need to use a hammer to put the planks together.



Gently push the planks together to achieve a perfectly tight joint, then lock the joint by lowering the plank back flat onto the floor.



Thanks to the four-sided click system, you can lock the planks along either the long or short sides.



Join the short side so that the connector tabs start to interlock. Slide the long side into the previously installed row. Lift slightly, click and push down.

PURE

Pure and simple installation

EFFICIENT SYSTEM, CLEAN RESULT

- Thanks to the RCB backing, you need little or no levelling.
- Easy to install: you just need to join and glue down the boards.
- The PURE superior wear layer protects your floor from all the assaults it suffers during a busy day.
- With its thickness of 3,2 mm (GlueDown) or 5 mm (Click), PURE is an excellent solution for renovation.
- PURE is a quiet floor: the vinyl gives soft sound when walked on.
- Our floors are 100% fully recyclable, and so at one with nature.
- The floors have a low heat resistance, which makes them ideal for combining with underfloor heating.
- PURE floors are water-resistant so they are also suitable for bathroom and kitchen.
- Easy to clean with water and standard cleaning products.
- PURE: lifetime warranty for residential use.





How to glue your floor



Use the special BerryAlloc adhesive, a roller and a recipient. Divide the room into smaller sections. Start with the area of the floor where you will install the first planks. Spread the adhesive on the floor.



Push the short edges of the planks together whilst holding the already installed plank in place.



Gently push the entire plank down. Pull the long side of the plank towards the previously installed row to ensure a perfectly tight joint. Press the planks to ensure good adhesion to the subfloor.

PURE DIMENSIONS






	1326 x 204
Вох	8 boards = 2,16 m²
Pallet	56 boxes = 121,19 m²
Thickness	5 mm
Wear layer	0,40 / 0,55 mm

	1836 x 204
Вох	6 boards = 2,25 m²
Pallet	56 boxes = 125,85 m²
Thickness	5 mm
Wear layer	0,40 / 0,55 mm





	612 x 612
Вох	6 boards = 2,25 m²
Pallet	28 boxes = 62,92 m²
Thickness	5 mm
Wear layer	0,55 mm


	612 x 306
Вох	8 boards = 1,50 m²
Pallet	56 boxes = 83,90 m²
Thickness	5 mm
Wear layer	0,55 mm






	1335 x 213
Вох	12 boards = 3,41 m²
Pallet	56 boxes = 191,09 m²
Thickness	3,2 mm
Wear layer	0,55 mm

	1845 x 213
Вох	8 boards = 3,14 m²
Pallet	56 boxes = 176,06 m²
Thickness	3,2 mm
Wear layer	0,55 mm






	615 x 615
Вох	8 tiles = 3,03 m²
Pallet	28 boxes = 84,72 m ²
Thickness	3,2 mm
Wear layer	0,55 mm

	615 x 307,5
Box	12 tiles = 2,27 m²
Pallet	56 boxes = 127,08 m²
Thickness	3,2 mm
Wear layer	0,55 mm

PURE WOOD DECORS





COLUMBIAN OAK 296L

40 Click Standard - 60000007

55 Click Standard - 60000100

55 Glue Standard - 60000127



COLUMBIAN OAK 636M

40 Click Standard - 60000008 **40 Click XXL** - 60000208 **55 Click Standard** - 60000101 **55 Click XXL** - 60000215

55 Glue Standard - 60000128 **55 Glue XXL** - 60000222

















- **40** Click Standard 60000010
- **40 Click XXL** 60000046
- **55 Click Standard** 60000103
- **55 Glue Standard** 60000130
- **55 Click XXL** 60000058
- **55 Glue XXL** 60000034



COLUMBIAN OAK 226M

40 Click Standard - 60000195

55 Click Standard - 60000197

55 Glue Standard - 60000201



COLUMBIAN OAK 236L

40 Click Standard - 60000204


55 Click Standard - 60000211

55 Glue Standard - 60000218

PURE WOOD DECORS







55 Click XXL - 60000216

55 Glue XXL - 60000223

40 Click XXL - 60000209





















55 Click Standard - 60000118

55 Glue Standard - 60000145

40 Click Standard - 60000025

LIME OAK 939S

PURE WOOD DECORS





















40 Click Standard - 60000029

55 Click Standard - 60000122

55 Glue Standard - 60000149



LIME OAK 623M

40 Click Standard - 60000205

55 Click Standard - 60000212

55 Glue Standard - 60000219



LIME OAK 974D

40 Click Standard - 60000206

55 Click Standard - 60000213

55 Glue Standard - 60000220

PURE WOOD DECORS







55 Click XXL - 60000217

55 Glue XXL - 60000224

55 Glue Standard - 60000151

40 Click XXL - 60000210

















PURE WOOD DECORS


















TOULON OAK 999D

40 Click Standard - 60000023

55 Click Standard - 60000116


55 Glue Standard - 60000143

PURE STONE DECORS



DISA 101S

- **55 Click 612 x 612** 60000073
- 55 Click 612 x 306 60000088
- **55** Glue 615 x 615 60000157 **55** Glue 615 x 307,5 60000172




DISA 644M

- 55 Click 612 x 612 60000074
- 55 Click 612 x 306 60000089
- **55** Glue 615 x 615 60000158 **55** Glue 615 x 307,5 60000173



DISA 979M

- **55 Click 612 x 612 -** 60000075
- **55 Click 612 x 306** 60000090
- **55** Glue 615 x 615 60000159 **55** Glue 615 x 307,5 60000174



DISA 797M

- 55 Click 612 x 612 60000076
- 55 Click 612 x 306 60000091
- 55 Glue 615 x 615 60000160
- **55 Glue 615 x 307,5** 60000175















DISA 996D

- **55 Click 612 x 612 -** 60000077
- **55 Click 612 x 306** 60000092
- **55 Glue 615 x 615** 60000161
- **55 Glue 615 x 307,5** 60000176

PURE STONE DECORS




MONSANTO 363L

- **55 Click 612 x 612** 60000078
- **55 Click 612 x 306** 60000093
- **55** Glue 615 x 615 60000162 **55** Glue 615 x 307,5 60000177


MONSANTO 639M

- **55 Click 612 x 612** 60000079
- 55 Click 612 x 306 60000094
- **55** Glue 615 x 615 60000163 **55** Glue 615 x 307,5 60000178



MONSANTO 694M

- **55 Click 612 x 612** 60000080
- **55** Click 612 x 306 60000095
- **55** Glue 615 x 615 60000164 **55** Glue 615 x 307,5 60000179



MONSANTO 959M

- 55 Click 612 x 612 60000081
- 55 Click 612 x 306 60000096
- **55 Glue 615 x 615** 60000165
- **55 Glue 615 x 307,5** 60000180















MONSANTO 997M

55 Click 612 x 612 - 60000082

55 Click 612 x 306 - 60000097

55 Glue 615 x 615 - 60000166 **55 Glue 615 x 307,5** - 60000181




MONSANTO 900D

55 Click 612 x 612 - 60000083

55 Click 612 x 306 - 60000098


55 Glue 615 x 615 - 60000167 **55 Glue 615 x 307,5** - 60000182

PURE STONE DECORS




ZINC 616M

- 55 Click 612x612 60000069
- 55 Click 612 x 306 60000084 **55 Glue 615 x 307,5** - 60000168
- **55 Glue 615 x 615** 60000153



ZINC 679M

- 55 Click 612 x 612 60000070
- **55** Glue 615 x 615 60000154 55 Click 612 x 306 - 60000085 **55 Glue 615 x 307,5** - 60000169



ZINC 373D

- 55 Click 612 x 612 60000071
- 55 Click 612 x 306 60000086
- **55** Glue 615 x 615 60000155 **55 Glue 615 x 307,5** - 60000170



ZINC 907D

- 55 Click 612 x 612 60000072
- **55 Click 612 x 306** 60000087
- **55 Glue 615 x 615** 60000156
- **55 Glue 615 x 307,5** 60000171














PURE ACCESSORIES


SKIRTINGS

60 MM MDF SKIRTING



 $2400 \times 12 \times 60 \text{ mm} (l \times w \times h)$ Sold in packs of 4

60 MM WATER-RESISTANT SKIRTING



 $2400 \times 12 \times 60 \text{ mm} (l \times w \times h)$ Sold in packs of 4

CLIPS FOR SKIRTING



30 clips per bag

GLUEDOWN ACCESSORIES

UNDER CONSTRUCTION

We are currently developing a new range of exclusive GlueDown accessories. Check www.berryalloc.com for the latest updates.

MAINTENANCE

We are currently developing our 3 maintenance products. Check www.berryalloc.com for the latest updates.

UNDER CONSTRUCTION

UNDER CONSTRUCTION

UNDER CONSTRUCTION

UNDERLAYS



DREAMTEC+


- improves transition sound (to the room below) (-20 dB)
- improves the walking sound ***
- highly suitable for use with underfloor heating
- very high compressive strength
- corrects irregularities in the floor
- integrated moisture barrier
- easy to install: folds out flat straight away
- available in boxes of 10 m²

PROFILES


3-IN-1 MULTIPROFILE MDF



T-profile $2000 \times 10 \times 34 \; (l \times w \times h)$ Sold individually



Reducer profile



End profile

ALU PROFILES


T-PROFILE ALU SILVER*



2000 x 30 x 4-7,5 mm (l x w x h) Sold individually

*also available in bronze and champaign color

REDUCER PROFILE ALU SILVER*



 $2000 \times 40 \times 4-7,5 \text{ mm (l x w x h)}$ Sold individually

END PROFILE ALU SILVER*



 $2000 \times 25 \times 4-7,5 \text{ mm (l x w x h)}$ Sold individually

PURE ACCESSORIES

	PURE		CLICK DEEDEN			GLUE DOWN 🔐		ACCESSORIES			
	PLANKS	Collection:	PURE Click 40	PURE Click 40 XXL	PURE Click 55	PURE Click 55 XXL	PURE 55	PURE 55 XXL	60 mm skirting water-resistant	MDF 60 mm skirting	3-in-1 MDF profile
		Dimensions:	1326 x 204	1836 x 204	1326 x 204	1836 x 204	1335 x 213	1845 x 213	60 x 12 x 2400	60 x 12 x 2400	34 x 10 x 2000
	'	Order quantity: Pallet:	Per 8 pcs = 2,16 m ² 56 boxes	Per 6 pcs = 2,25 m² 56 boxes	Per 8 pcs = 2,16 m² 56 boxes	Per 6 pcs = 2,25 m ² 56 boxes	Per 12 pcs = 3,41 m² 56 boxes	Per 8 pcs = 3,14 m ² 56 boxes	Per pack (4 pcs)	Per pack (4 pcs) 	Per piece
1	Columbian Oak 261L	rattet:	= 121,19 m ² 60000006	= 125,85 m ²	= 121,19 m ² 60000099	= 125,85 m ²	= 191,09 m ² 60000126	= 176,06 m ²	63000353	63000311	63000437
2	Columbian Oak 296L	15/11	60000007	-	60000100	-	60000127	-	63000354	63000312	63000438
3	Columbian Oak 636M	150110	60000008	60000208	60000101	60000215	60000128	60000222	63000355	63000313	63000439
4	Columbian Oak 946M	BINE	60000010	60000046	60000103	60000058	60000130	60000034	63000357	63000315	63000441
5	Columbian Oak 226M		60000195	-	60000197	-	60000201	-	63000546	63000543	63000550
6	Columbian Oak 236L	Thus	60000204	-	60000211	-	60000218	-	63000563	63000560	63000567
7	Columbian Oak 693M		60000011	60000047	60000104	60000059	60000131	60000035	63000358	63000316	63000442
8	Columbian Oak 939M		60000012	-	60000105	-	60000132	-	63000359	63000317	63000443
9	Columbian Oak 663D		60000196	-	60000198	-	60000202	-	63000547	63000544	63000551
10	Columbian Oak 996E	1231	60000014	60000209	60000107	60000216	60000134	60000223	63000361	63000319	63000445
11	Toulon Oak 109S		60000015	60000049	60000108	60000061	60000135	60000037	63000362	63000320	63000446
12	Toulon Oak 619L	17.7 3.	60000017	60000050	60000110	60000062	60000137	60000038	63000364	63000322	63000448
13	Toulon Oak 936L	27.3	60000018	60000051	60000111	60000063	60000138	60000039	63000365	63000323	63000449
14	Toulon Oak 976M		60000019	-	60000112	-	60000139	-	63000366	63000324	63000450
15	Toulon Oak 236L	理事學	60000020	-	60000113	-	60000140	-	63000367	63000325	63000451
16	Toulon Oak 293M	理事品	60000021	60000052	60000114	60000064	60000141	60000040	63000368	63000326	63000452
17	Toulon Oak 999D		60000023	-	60000116	-	60000143	-	63000370	63000328	63000454
18	Lime Oak 139S	FAR	60000024	60000053	60000117	60000065	60000144	60000041	63000371	63000329	63000455
19	Lime Oak 939S	FAR	60000025	-	60000118	-	60000145	-	63000372	63000330	63000456
20	Lime Oak 963M	TAB	60000026	60000055	60000119	60000067	60000146	60000043	63000373	63000331	63000457
21	Lime Oak 669M	FILE	60000028	-	60000121	-	60000148	-	63000375	63000333	63000459
22	Lime Oak 693M	PAK	60000029	-	60000122	-	60000149	-	63000376	63000334	63000460
23	Lime Oak 623M	化相信	60000205	-	60000212	-	60000219	-	63000564	63000561	63000568
24	Lime Oak 979M	EVE	60000030	60000056	60000123	60000068	60000150	60000044	63000377	63000335	63000461
25	Lime Oak 974D	温度 審	60000206	-	60000213	-	60000220	-	63000565	63000562	63000569
26	Lime Oak 954D	7 1	60000199	60000210	60000200	60000217	60000203	60000224	63000545	63000541	63000548
27	Lime Oak 966D	THE	60000032	-	60000125	-	60000152	-	63000379	63000337	63000463
28	Lime Oak 996D	THE R	60000031	-	60000124	-	60000151	-	63000378	63000336	63000462

	PURE		CLICK /DE	REAM*	GLUE DOWN 🚛		ACCESSORIES		
	TILES	Collection:	PURE Click 55	PURE Click 55	PURE 55	PURE 55	60 mm skirting water-resistant	MDF 60 mm skirting	3-in-1 MDF profile
		Dimensions:	612 x 612	612 x 306	615 x 615	615 x 307,5	60 x 12 x 2400	60 x 12 x 2400	34 x 10 x 2000
		Order quantity:	Per 6 pcs = 2,25 m ²	Per 8 pcs = 1,50 m ²	Per 8 pcs = 3,03 m ²	Per 12 pcs = 2,27 m ²	Per pack (4 pcs)	Per pack (4 pcs)	Per piece
		Pallet:	28 boxes = 62,92 m²	56 boxes = 83,90 m²	28 boxes = 84,72 m²	56 boxes = 127,08 m²			
1	Zinc 616M	10000	60000069	60000084	60000153	60000168	63000338	63000296	6300042
2	Zinc 679M		60000070	60000085	60000154	60000169	63000339	63000297	6300042
3	Zinc 373D		60000071	60000086	60000155	60000170	63000340	63000298	6300042
4	Zinc 907D		60000072	60000087	60000156	60000171	63000341	63000299	6300042
5	Disa 101S		60000073	60000088	60000157	60000172	63000342	63000300	6300042
6	Disa 644M		60000074	60000089	60000158	60000173	63000343	63000301	6300042
7	Disa 979M		60000075	60000090	60000159	60000174	63000344	63000302	6300042
8	Disa 797M		60000076	60000091	60000160	60000175	63000345	63000303	6300042
9	Disa 996D		60000077	60000092	60000161	60000176	63000346	63000304	6300043
10	Monsanto 363L		60000078	60000093	60000162	60000177	63000347	63000305	6300043
11	Monsanto 639M	1000	60000079	60000094	60000163	60000178	63000348	63000306	6300043
12	Monsanto 694M	1000	60000080	60000095	60000164	60000179	63000349	63000307	6300043
13	Monsanto 959M		60000081	60000096	60000165	60000180	63000350	63000308	6300043
14	Monsanto 997M		60000082	60000097	60000166	60000181	63000351	63000309	6300043
15	Monsanto 900D		60000083	60000098	60000167	60000182	63000352	63000310	6300043

UNDERLAYS (PURECLICK)	Order quantity		
DREAMTEC+ (20 DB - 1,5 MM)	10 m² / box	63000027	

CLIPS - MDF SKIRTING	Order quantity
SKIRTING CLIPS AND PLUGS	Sold per bag (30 clips/bag) 9310-0017

ALUMINIUM PROFILES (PURECLICK)	Order qty	Silver	Champ.	Bronze
REDUCER 2 m 4-7,5 x 40 x 2000 mm	Per piece	63000573	63000574	63000575
T-PR0FILE 2 m 4-7,5 x 30 x 2000 mm	Per piece	63000576	63000577	63000578
END PROFILE 2 m 4-7,5 x 25 x 2000 mm	Per piece	63000579	63000580	63000581


PURE TECHNICAL DATA

Board: $1326 \times 204 \text{ mm} - \text{Box}$: 8 boards (= 2,16 m²) - Pallet: 56 boxes (= 121,19 m²) Board XXL: $1836 \times 204 \text{ mm} - \text{Box}$: 6 boards (= 2,25 m²) - Pallet: 56 boxes (= 125,85 m²)

Tile: $612 \times 612 \text{ mm}$ - Box: $6 \text{ tiles} (= 2,25 \text{ m}^2)$ - Pallet: $28 \text{ boxes} (= 62,92 \text{ m}^2)$ Tile: $612 \times 306 \text{ mm}$ - Box: $8 \text{ tiles} (= 1,50 \text{ m}^2)$ - Pallet: $56 \text{ boxes} (= 83,90 \text{ m}^2)$



PRODUCT SPECIFICATION		CLICK 40	CLICK 55
Total thickness	EN 428	5 mm	5 mm
Wear layer	EN 429	0,40	0,55
Total weight	EN 430	5,4 kg/ m²	5,4 kg/ m²
Surface treatment		PUR	PUR
Usage classification	EN 685	23-32	23-33
TEST RESULTS			
Underfloor heating	EN 12524	suitable max. 27° (80°F)	suitable max. 27° (80°F)
Castor chair	EN 425	pass	pass
Fire resistance	EN 13501-1	Bfl-s1	Bfl-s1
Chemical resistance	EN 423	ок	ок
Residual indentation	EN 433	< 0,10 mm	< 0,10 mm
Slip resistance	DIN 51130 EN 13983	R10 class DS	R10 class DS
Sound reduction: Impact Sound	EN ISO 717-2 (Δ Lw)	16 dB	16 dB
Reflected Walking Sound	EPLF draft 021029-5 F1	*** (9,7 sone)	*** (9,7 sone)
Light fastness	ISO 105-B02	> 6	> 6
Dimensional stability	EN 434	<0,25%	<0,25%
Antistatic	EN 1815	yes	yes
Residential warranty		Lifetime	Lifetime
Commercial warranty		-	10 years
Formaldehyde	EN 717-1	E1	E1











Board: $1335 \times 213 \text{ mm} - \text{Box}$: $12 \text{ boards} = 3,41 \text{ m}^2 - \text{Pallet}$: $56 \text{ boxes} = 191,09 \text{ m}^2 = 191,09 \text{$

Tile: 615 x 615 mm - Box: 8 tiles (= 3,03 m²) - Pallet: 28 boxes (= 84,72 m²)
Tiles: 615 x 307,5 mm - Box: 12 tiles (= 2,27 m²) - Pallet: 56 boxes (= 127,08 m²)



PRODUCT SPECIFICATION	55	
Total thickness	EN 428	3,20 mm
Wear layer	EN 429	0,55 mm
Total weight	EN 430	3,6 kg / m²
Surface treatment		PUR
Usage classification	EN 685	23 - 33
TEST RESULTS		
Underfloor heating	EN 12524	Suitable - max. 27°
Castor chair	EN 425	Pass
Fire resistance	EN 13501-1	Bfl - s1
Chemical resistance	EN 423	ок
Residual indentation	EN 433	< 0,10 mm
Slip resistance	DIN 51130 EN 13893	R10 Class DS
Sound reduction: Impact Sound	EN ISO 717-2 (Δ Lw)	16 dB
Reflected Walking Sound	EN ISO 717-2 (Δ Lw)	*** (9,7 sone)
Light fastness	ISO 105-B02	> 6
Dimensional stability	EN 434	≤ 0,15%
Antistatic		Yes
Residential warranty		Lifetime
Commercial warranty		10 years
Formaldehyde	EN 717-1	E1







PURE WOOD OVERVIEW



Columbian Oak 261L



Columbian Oak 296L



Columbian Oak 636M



Columbian Oak 946M



Columbian Oak 226M



Columbian Oak 236L




Columbian Oak 663D



Columbian Oak 693M



Columbian Oak 939M



Columbian Oak 996E



Lime Oak 139S



Lime Oak 939S



Lime Oak 963M



Lime Oak 669M



Lime Oak 693M



Lime Oak 623M



Lime Oak 974D



Lime Oak 966D



Lime Oak 954D



Lime Oak 979M



Lime Oak 996D















Toulon Oak 109S



Toulon Oak 936L



Toulon Oak 976M



Toulon Oak 236L



Toulon Oak 619L



Toulon Oak 293M



Toulon Oak 999D



PURE STONE OVERVIEW







Disa 644N



Disa 979M



Monsanto 363L



Monsanto 639M




Monsanto 694M



Zinc 616M



Zinc 679M



Zinc 373D



















Disa 996D



Monsanto 959M



Monsanto 997M



Monsanto 900D



Zinc 907D

11000262 (ENG)






Dealer





WALLPANELS



TRENDS & INSPIRATIONS

Source, Glam, Sense or Bloom, 4 trends catching the mood of the time **p.5**

KITCHEN

Decorative boards for gluing **p.20**

BATHROOM

100% waterproof click panels **p.34**



EDITORIAL

Live beautifully, live easily, live fully...

This is what BerryAlloc Walls offers. Our wall coverings for kitchens and bathrooms were designed to transform your home. Our Kitchen Walls and Wall&Water are decorative, trendy, easy to install, require little maintenance, and are above all, under lifetime warranty. They are the perfect complement to your walls, they meet your wishes and match your imperatives - and they do all that quite naturally. Their patterns, colours and shapes were designed in partnership with our Design agency. Yes, your kitchen's wall panels and the finish of your bathroom matter more to us than you might think. Use this catalogue and rely on us for all your renovation or novelty projects by "liking" us. We will see you soon in those rooms of your home that mean the most to you.



LAMINATE - PARQUET - WALLS - VINYL PLANKS



34



CON-TENTS

5 TRENDS & INSPIRATIONS

For collections that catch the spirit of the times

16 READY-TO-INSTALL SOLUTIONS

Discover our solutions for your KITCHEN, BATHROOM, ...

20 KITCHEN

KITCHEN WALL Boards for gluing

34 BATHROOM

WALL&WATER Waterproof interlocking panels

50 ACCESSORIES

Everything you need to install Wall&Water panels





Source

#warmth #raw nature #primitive

WHICH ARE YOU? SOURCE, GLAM, SENSE OR BLOOM?

Discover the BerryAlloc decor inspirations.

Find the styles that drive us, as captured by our Design agency. Lifestyle or just style, we do not miss a beat when it comes to maximizing your inner joy. Four main trends to fulfil all your desires.





Source Trend

In a world that is changing ever faster and that sometimes takes us by surprise, we feel a need to slow down. We find ourselves hiking in the forest rather than running to the supermarket. Local and authentic values get a place of honor in our heart. If your emotions become your inner compass, our Walls will point the way to the interior design you desire. The Source trend comes in a range of beige, tan, taupe, linen, matching the green shades of nature and the blue of the sky.

Glam Trend

It is official: there is a real fascination for everything that glitters, with gold and copper taking the lead, and this warms the universe of interior design. The Glam trend is a perfect mix of the real and the imaginary, of ancient luxury and modern purity. Here, materials surprise and tell stories! Are you Glam? Our Walls will create a universe which is as reassuring as it is precious!





Sense Trend

Is your world one of gentleness... as if floating between earth and sky? You are Sense. Your quest for happiness requires rediscovery of the spiritual dimension and increased trust of your intuition. If you express yourself through moods which leave a lot of space for dreams, transparency and space, then our Walls are for you. The materials and shades are soft, sometimes have patina, and are always natural.

Bloom-trend

Environmental values, green and connected lifestyles, the Bloom trend brings both crafts and the folk spirit back into fashion. An openness to the world, to its cultures while maintaining a level of expectations, Bloom describes collective intelligence and natural curiosity, far from all that is artificial. Soft textures and rough materials carry your preference.












- SNOW WHITE
- WHITE OXID
- SOFT TERRAZZO
- TIMELESS

When **4 shades of white** meet **19** tempting **formats,** desire appears and a wish for white in all its forms and shapes appears self-evident, and we only have to write the life that goes with it.



SNOW WHITE GLOSSY, SATIN OR CERAMIC

(Sizes in cm)

KITCHEN WALL: 5 x 5 / 15 x 3,75

10 x 10 / 30 x 10 / 20 x 10

ALLOVER

WALL&WATER: 60 x 60 60 x 30 / 20 x 30 30 x 7,5 / 60 x 15 ALLOVER





Bloom Towards

Concrete, cement, stone or slate, the spirit of tiles, ceramics or brushed aluminium, ... BerryAlloc Walls always lead to sensations.



ALUMINIUM BRUSHED ALLOVER / KITCHEN WALL

- CONCRETE
- LIGHT SLATE
- ALUMINIUM BRUSHED
- CEMENT







Source or Clam

With black, all hope is allowed... whether you prefer a **natural and authentic** atmosphere or an **elegant and graphic** one!



KITCHEN WALL AND WALL&WATER



GLUED OR **INTERLOCKING**, OUR WALL PANELS COMBINE EASE OF INSTALLATION WITH EASE OF MAINTENANCE. THEY ARE **IDEAL** FOR **RENOVATION** PROJECTS OR FOR NEW **CONSTRUCTION**. DISCOVER THE SECRET BEHIND THEIR SIMPLICITY.



KITCHEN

KITCHEN WALL PANEL

The BerryAlloc Kitchen Wall collection, made of compact and durable laminated materials, is both heat and water resistant. Even direct splashes of boiling water will not damage it. You can quickly and easily install the panels yourself, without making a mess or losing lots of time. Kitchen Wall panels are 3mm thick, which makes them ideal for quick renovations. A tube of BerryAlloc glue, a little time on your hands and you are all set. The hardest part? Choosing!

"Honestly, it took me longer to choose the model than it took me to install it. I was finished in an hour." SARAH COSTE









H-profile

BATHROOM

WALL&WATER PANELS

Wall&Water panels are best mounted on a wooden frame. BerryAlloc's Wall&Water is the only system in the world offering you the visual of a tiled wall this quickly and easily – and all without the need for grouting. The panels interlock thanks to the unique "LOCK" system developed in our engineering department in Norway. The result: a smooth wall with no vis-

ible joints. Your bathroom will be ready in a flash! The panels can also be glued directly onto a solid wall. In this case, the walls must be absolutely straight and smooth. Finally, for walls with existing coverings of varying in thickness (such as: tiles half way up), you can fix wooden boards of the same thickness and use BerryAlloc glue.



To learn more about BerryAlloc Walls and understand how to install them, go to **www.berryalloc.com** for an installation video, downloadable fact sheets and instructions.

WITH OUR SYSTEM OF LOCKING PROFILES
AND THE NEW HYDROLOCK INVISIBLE PROFILE,
THE FINISH IS PERFECT FROM START TO END.

BERRY = ALLOC°










DID YOU KNOW?

BerryAlloc Walls are made of high pressure laminates (HPL) or compact laminates (CPL), which are both very durable. They are extremely solid as well as shock and UV-resistant.

THEY ARE COVERED BY A LIFETIME WARRANTY.









THE BERRYALLOC WALL PANELS ARE WATER AND TIME RESISTANT

- Lifetime warranty
- Wear proof panels
- Authentic finish
- Easy and fast installation
- Easy care





SEAMLESS

NO JOINTS

















HEAT INSULATING

QUICK INSTALLATION

WATER RESISTANT



BERRY ALLOC°







KITCHENWALL

24 references of kitchen boards for gluing





SNOW WHITE GLOSSY 10 x 10 cm $\,$


SNOW WHITE GLOSSY ALLOVER

TOTAL
SIZE
of the
PANELS
120 x 60 cm


SIZE OF THE TILES



20 X 10 cm



Allover



10 x 10 cm

15 X 3,75 cm













The BRUSHED **ALUMINIUM** ALLOVER grabs your attention and always makes a strong impression in your kitchen. Brigade and aprons are a must!








 $\textbf{BLACK} \ \text{GLOSSY 30 X 10 cm}. \ \text{The horizontal pattern pleasantly enhances the depth of the color}.$


MEASURING 3 MM IN THICKNESS, THE KITCHEN WALL PANELS ARE IDEALLY SUITED FOR RENOVATIONS.


Kitchen Wall


24 REFERENCES 8 tile sizes












Allover

30 x 10 cm

20 x 10 cm Subway


10 x 10 cm

5 x 5 cm





Allover Groove: None



SNOW WHITE Gloss Finish 30 x 10 1940-7115 Groove: Light Grey



SNOW WHITE Gloss Finish 20 x 10 Subway 62000451 Groove: White




SOFT TERRAZZO Gloss Finish 62000457

60 x 10 Groove: White



SOFT TERRAZZO Satin Finish 5 x 5 62000456 Groove: White



TIMELESS Satin Finish 10 x 10 62000464 Groove: White



CEMENT Satin Finish

62000466





CEMENT Satin Finish 62000465

60 x 10 Groove: Light Grey



BRUSHED ALUMINIUM

1940-7250

Allover Groove: None



SKY BLUE Satin Finish

62000459 Groove: Light Grey



LONDON Gloss Finish

62000461



Groove: None

Allover



LONDON Gloss Finish 62000460

60 x 10 Groove: Light Grey







10 x 10



We do not recommend the use of BerryAlloc Kitchen Wall panels with a gas cooking stove.




BerryAlloc Adhesive

Strong adhesive recommended for the installation of panels with glue. 9310-0027

TECHNICAL DATA


Panel dimensions: $120 \times 60 \times 0.3 \text{ cm}$ thick


1 panel / box = 0.72 m^2 (2.9 kg - **40 boxes / pallet** = 28.8 m^2 (116 kg)




60 x 10 cm








- 1. Decor wall paper impregnated in melamine
- Grout color paper impregnated in melamine multiple layers
- 7 Coveral craft papers
- 4. Grout color paper impregnated in melamine multiple layers
- 5. Ornamental wall paper soaked in melamine



SNOW WHITE Gloss Finish 10 x 10 1940-7114 Groove: Light Grey



SNOW WHITE Gloss Finish **5 x 5** 62000452 Groove: Light Grey



SNOW WHITE Gloss Finish 15 x 3,75 1940-7111 Groove: Light Grey



CONCRETE Satin Finish 1940-7965

30 x 10 Groove: Light Grey



LIGHT SLATE Satin Finish 62000439 Groove: Light Grey



LIGHT SLATE Satin Finish 5 x 5 62000453 Groove: Light Grey



NATURAL SLATE Satin Finish 10 x 10 62000455 Groove: Light Grey



NATURAL SLATE Satin Finish **BRICK** 62000454 Groove: Light Grey



SKY BLUE Gloss Finish 60 x 10 62000458 Groove: Light Grey



BLACK SLATE Rustic Finish 10 x 10 62000463 Groove: Light Grey



BLACK SLATE Satin Finish 15 x 3,75 62000462 Groove: Light Grey




BLACK Gloss Finish 30 x 10 1940-7355 Groove: Light Grey



Watch the installation video on www.berryalloc.com

More information on the installation, warranty and maintenance can be found in the installation instructions. Read them carefully before starting with the installation.





WITH 7 DIFFERENT
TILE SIZES, THE
WALL&WATER PANEL
COLLECTION CAN
BE MADE TO MEET
ALL YOUR DESIGN
PREFERENCES.



WALL&WATER

28 references of interlocking wall panels






SNOW WHITE GLOSSY 20 x 30 cm

SNOW WHITE GLOSSY 30 x 7,5 cm

TOTAL SIZE of the PANELS

60 x 240 cm















BLACK SATIN 60 \times 30 cm. Did you know that you can combine your wall panels with our **RIVIERA COLLECTION OF WATER RESISTANT LAMINATE**.



SKY BLUE Glossy 60 x 15 cm. Invite delicacy and gentleness into your bathroom.







BLACK SLATE RUSTIC $60 \times 30 \text{ cm}$












Approved for humid rooms: WALL&WATER was tested by the Norwegian Building Research Institute (NBI) and the SITAC in Sweden. It obtained technical approval from these institutions. The waterproof partition walls were approved in compliance with the norms for construction in humid zones. The WALL&WATER panels are therefore perfectly suitable for use in humid conditions, provided the installation was carried out in full compliance with the installation instructions. The ETAG gave European technical approval in compliance with EOTA relative to the verification of waterproof coverings for damp spaces.

Wall&Water

28 REFERENCES 7 tile sizes





SNOW WHITE Allover Satin Finish Groove: None 1963-7940



SNOW WHITE SUBWAY 60 x 15 Gloss Finish Groove: White 1964-7948



SNOW WHITE 30 x 7,5 Gloss Finish Groove: Light Grey 1960-7945



WHITE OXID 60 x 30 Oxid Finish Groove: White 1960-7933



SOFT TERRAZZO 60 x 30 Satin Finish Groove: White 62000438



SOFT TERRAZZO 60 x 30 Gloss Finish Groove: White 1960-7723



SOFT TERRAZZO 60 x 15 Gloss Finish Groove: White 1960-7726



CEMENT Allover Brushed Finish Groove: None 62000448



CEMENT 60 x 60 Satin Finish Groove: Light Grey 6200446



CEMENT 60 x 30 Satin Finish Groove: Light Grey 6200447



SKYE BLUE 60 x 15 Gloss Finish Groove: Light Grey 62000449



LONDON 60 x 15 Gloss Finish Groove: Light Grey 62000450



BLACK SLATE 60 x 60 Satin Finish Groove: Light Grey 62000442

TECHNICAL DATA

Panel dimensions: $60 \times 240 \times 1,02 \text{ cm}$ thick

2 panels / box = $2.88 \text{ m}^2 (25.3 \text{ kg})$ - **20 boxes / pallet** = $57.6 \text{ m}^2 (506 \text{ kg})$



SNOW WHITE 60 x 60 Gloss Finish Groove: Light Grey 1960-7947



SNOW WHITE 60 x 30 Satin Finish Groove: Light Grey 62000441



SNOW WHITE 60 x 30 Gloss Finish Groove: Light Grey **1960-7943**



SNOW WHITE 20 x 30 Gloss Finish Groove: Light Grey **1960-7942**



SNOW WHITE 20 x 30 Ceramic Finish Groove: Light Grey **1961-7942**



SNOW WHITE 60 x 15 Gloss Finish Groove: Light Grey 1960-7946



TIMELESS 60 x 30 Satin Finish Groove: White 62000445



TIMELESS 20 x 30 Ceramic Finish Groove: White 62000444



CONCRETE 60 x 60 Satin Finish Groove: Light Grey 1960-7967



CONCRETE 60 x 30 Satin Finish Groove: Light Grey 1960-7963



CONCRETE 60 x 15 Satin Finish Groove: Light Grey 1960-7966



CONCRETE URBAN 60 x 60 Satin Finish Groove: Light Grey 1960-7707



BLACK SLATE 60 x 30 Rustic Finish Groove: Light Grey 62000443



60 x 30 Satin Finish Groove: Light Grey 62000440



60 x 15 Gloss Finish Groove: Light Grey 1960-7356












Watch the installation video on www.berryalloc.com


More information on the installation, warranty and maintenance can be found in the installation instructions. Read them carefully before starting with the installation.

Wall&Water Structure



- High-pressure laminate
 made of multiple
 - Layers of decor paper impregnated with melamine
 - Layers of sturdy kraft paper
- 2. Coreboard with locking system
- 3. Counter balance sheet

A unique system



The Wall&Water system allows for **perfect adjust-ment of the panels**, which will not move even after many years. They are very easy to install – **just click** them together.

Wall&Water accessories

The difference is in the detail. BerryAlloc offers a complete range of profiles and other accessories which make the installation of inside walls even easier. All profiles come in natural aluminium.



Base profile

Easy installation and a watertight fit all along the panel. Use in accordance with the Norwegian "Wet Room" standard in showers and other wet areas. Should also be used along the edges of cut-off panels.

White: **63000038** (2,4 m) Natural: **9406-3017** (2,4 m)



NEW HydroLoc profile

Exterior and interior angle profile for a perfect finish and invisible angles

Exterior: Aluminium (2,35 m) Natural: **63000717** interior: Aluminium (2,35 m) Natural: **63000716**



Exterior and interior angle profile

Easy installation with perfectly watertight angles. Aluminium profiles. White or natural finish.

INTERIOR PROFILES:

White: **63000033** (2,4 m) **63000034** (2,7 m) Natural: **9400-3017** (2,4 m) **9401-3017** (2,7 m)

EXTERIOR PROFILES:

White: **63000036** (2,4 m) / **63000037** (2,7 m) Natural: **63000718** (2,4 m) / **9402-3017** (2,7 m)



End profile

To finish your BerryAlloc Wall&Water panel with a watertight end profile, either horizontally or vertically.

L-Profile: White: **63000031** (2,4 m) Natural: **261405** (2.4 m)

U-Profile: Natural: **261401** (2,4 m)
Natural: **9403-3017** (2,7 m)



Waterproof silicone

Use this waterproof silicone in the aluminium profiles and the panels and in between panels in wet areas.

White: 63000606

White: **63000606** Light Grey: **63000607**

BerryAlloc Adhesive

Our recommended strong adhesive for use during installation. **9310-0027**



Screws

Wall&Water screws to secure panels and aluminum profiles. Comes in packages of 200 pieces, including a PH2 screwdriver. **9310-0015** (30 mm)

9310-0016 (45 mm)



Tapping Block

Use this tapping block to slot the panel in the interior angle profile.

9310-0020



Cleaning tissues BerryAlloc

Remove oil, paint, unhardened waterproof silicone, uncured adhesives or construction foam. Replaces white spirit and a cloth. Clean hands without soap

or water. **9310-0023**



Watch the installation video on www.berryalloc.com

More information on the installation, warranty and maintenance can be found in the installation instructions. Read them carefully before starting with the installation.

BERRY=ALLOC°











ISO 9001 ISO 14001

Mindful of the environment!

Conscious of environmental challenges, BerryAlloc respects environmental requirements and **strict specifications in terms of sustainable development.**

This is part of our idea of development and includes the full life cycle of these products. BerryAlloc makes laminated products essentially from paper and wood in compliance with the environmental certification standard ISO 14 001. Our products are made, used, recycled and destroyed without any health or environmental impact. All the BerryAlloc laminated products have the CE stamp in compliance to the European requirements for the marking of this sort of product, and every year we update the requirements in terms of referencing and reporting in compliance with the environmental authority decisions. The laminated BerryAlloc products are recommended by the Norwegian Asthma and Allergy association.





BerryAlloc NV, Industrielaan 100 - 8930 MENEN - BELGIUM

Tel. +32 56 52 84 80 - Fax. +32 56 52 84 90 info@berryalloc.com

Consumer or professional, BerryAlloc offers products suitable for every use. **Our natural wood parquets, laminates, vinyl flooring and wall panels will all vie for your attention.**Go discover our products at:

www.berryalloc.com

Beaulieu International Group

Non-contractual document. Printing techniques may cause small variations in the colours shown. BerryAlloc reserves the right to modify its range without notice. Printed 03/16. Limited stocks available.

Manufactured by the Beaulieu International Group under license of Välinge Innovation AB - E.R.: Jan Debrouwere, BerryAlloc, Industrielaan 100, 8930 Menen, Belgium. 11001896 English.